



Innovative Detection Solutions

www.gasleaksensors.com

SENS T[®] PIOO PERSONAL SINGLE GAS MONITOR

Protect yourself from hazardous gases!

SENSIT® P100 is a single gas personal monitor designed to warn the user of hazardous gases in their working environment.

Easy to Use

Available Sensors

Low Maintenance

Low Initial Cost

Hydrogen Sulfide (H2S) Hydrogen Cyanide (HCN) Oxygen (O2) Carbon Monoxide (CO) Chlorine (Cl2) Nitrogen Dioxide (NO2) Sulfur Dioxide (SO2)

P100 Standard Features

- One Button Operation
- Audible Alarm
- Visual Alarm
- Vibration Alarm
- STEL and TWA Alarms
- Alarm Event Memory
- Easy Field Calibration
- 2-Year Operation
- Limited 2-Year Warranty (Including Sensor)
- Extended Warranty Available



INDUSTRY USERS

Utilities Maintenance Fire Departments Safety Inspectors Home Inspectors Water/Sewer Departments Heating Contractors Utility Contractors Industrial Plants Propane Marketers



APPLICATIONS

Oil & Gas Exploration Gas Contractors Emergency Responders Emergency Medical Personnel





SENSOR SPECIFICATIONS

ТҮРЕ	RESOLUTION	RANGE
02	0.1%	25%
СО	lppm	0-999* (See Extended Display Option, Next Column)
H2S	lppm	0-100
HCN	0.1ppm	0-30
Cl ₂	0.1ppm	0-20
NO ₂	0.1ppm	0-20
SO ₂	0.1ppm	0-20

PRODUCT SPECIFICATIONS

Size:	3.81" x 2.31" x 0.8" (9.67 x 5.87 x 2 cm)
Weight:	3.6 oz. (105 g)
Operational Temp:	-4 to 104 F (-20 to 40° C)
Humidity:	15-90% RH (Non-condensing)
Power Source:	3.6V Lithium Battery
Battery Life:	2+ Years (May be less depending upon temperature & duration of alarm)



STANDARD KIT

KIT OPTIONS

Belt Clip Instruction Manual Bump Test Station Calibration Kit

OPTIONAL FEATURES

"Always On" Mode Infrared Communication

Remote Sample Draw Assembly Aspirator with 10ft. Tubing and Probe

*CO Extended Display Option:

Detection Range: Oppm - .2% Volume (2000ppm equivalent)

Resolution: 1ppm for 0 – 999ppm 01% Volume for 1000ppm – 2000ppm



Class 1, Groups A, B, C, & D Ex ia Temp code: T4

€ 0891 © II 1 G

Ex ia IIC T4 AEx ia IIC T4 IP65 ATEX Cert. No.: TRAC 09 ATEX 11195X EMC Directive (2004/108/EC) EN 61000-4-2:1995, EN 61000-4-3:2002, EN 55011:2007

SENSIT® P100 Instruments

Carbon Monoxide	P100 CO with 2 Year Warranty Part # 912-00000-03
Carbon Monoxide	P100 CO with 3 Year Warranty Part # 912-00000-18
Carbon Monoxide	P100 CO with 4 Year Warranty Part # 912-00000-04
Hydrogen Sulfide	P100 H2S with 2 Year Warranty Part # 912-00000-05
Hydrogen Sulfide	P100 H2S with 3 Year Warranty Part # 912-00000-17
Hydrogen Sulfide	P100 H2S with 4 Year Warranty Part # 91200000006
Hydrogen Cyanide	P100 HCN with 2 Year Warranty Part # 912-00000-07
Hydrogen Cyanide	P100 HCN with 4 Year Warranty Part # 912-00000-08
Nitrogen Dioxide	P100 NO2 with 2 Year Warranty Part # 912-00000-10
Nitrogen Dioxide	P100 NO2 with 4 Year Warranty Part # 912-00000-11
Oxygen	P100 O2 with 2 Year Warranty Part # 912-00000-13
Oxygen	P100 O2 with 4 Year Warranty Part # 912-00000-14
Sulfur Dioxide	P100 SO2 with 2 Year Warranty Part # 91200000-15
Sulfur Dioxide	P100 SO2 with 4 Year Warranty

Sensit P100 CO Calibration Kit (34 liter 100ppm CO)

Part # 881-00051

SENSIT® P100 Manual Calibration Kits

Sensit P100 H2S Calibration Kit (34 liter 25ppm H2S) Part # 881-00052

Sensit P100 HCN Calibration Kit (34 liter 10ppm HCN) Part # 881-00053

Sensit P100 Nitrogen Dioxide Calibration Kit (10ppm) Part # 881-00055

Sensit P100 Sulfur Dioxide Calibration Kit (10ppm) Part # 881-00056

Replacement Cylinders

34 liter 100ppm CO/Air Part # 315-100001

34 liter 25ppm H2S/Air Part # 315-100007

34 liter 10ppm HCN/Nitrogen Part # 315-100006

34 liter 10ppm Nitrogen Dioxide/bal N2 Part # 315-100005

34 liter 10ppm Sulfur Dioxide/bal Air Part # 315-100002

Contact SENSIT for additional options and information.



851 Transport Drive Valparaiso, IN 46383-8432

Phone: 888 4SENSIT 888 473 6748 219 465 2700

Fax: 219 465 2701 www.gasleaksensors.com MADE IN USA

SENSIT Technologies is in compliance with ISO 9001:2008





Distributed by:

Form# BP100-JS01-ATEX

Part # 912-00000-16

REV: 12-1-2013