2021 CATALOG

U-TECK



WWW.UTECK.COM / 1-800-542-7011

Thank you for Choosing U-TECK!

When you choose U-TECK, you're choosing:

- To Support an American based company

- To help Reduce Scrap Waste

- A company who will work WITH you to develop innovative solutions to YOUR everyday problems.

WWW.UTECK.COM / 1-800-542-7011

TABLE OF CONTENTS

Splicing Solutions - Section A
- Fiber Optic Splicing Workstation..... A-1
- Splicer Seat..... A-2
- Splicer Seat Accessories..... A-3
- Ergo Seat..... A-4
- Fiber Optic Protection Sleeve.....A-5
- Magic Wrap.....A-6

Cable Pulling & Placement - Section B
- RayDius Fiber Quadrant Block.....B-1
- Mesh Bulk Reel..... B-2
- Mesh Grips.....B-3
- Radius Bend Tool.....B-4

Utility Marking - Section C
- Temp Fiber Drop Markers.....C-1

Mounting Equipment - Section D
- Fire Retardant Interior Backboards.....D-1
- Exterior Backboards.....D-2
- Brackets and Clamps.....D-3

Tents - Section E
- Ped Pal Tent.....E-1
- Vent Tent.....E-2
- Canopy Tent.....E-3

Gas Detection - Section F
- P100.....F-1
- P400.....F-2
- Gold G2 (L.....F-3
- HGX-2D F-4

Confined Space Ventilation - Section G
- UAF-1500 &1500-230.....G-1
- UAF-3000.....G-1
- UAF-3000P.....G-2
- UAF-8000.....G-2
- Ventilator Accessories.....G-3

Temporary Cable Protection - Section H

Micro-Trench Tools - Section I
- Street Saver.....I-1
- Micro-Trenching Tamper Tool.....I-2
- Micro-Trenching Clip & Insertion Tool.....I-3

Ladder Safety - Section J
- Universal Ladder Wedge.....J-1
- Rung Runner Ladder Caddy.....J-2
- Step Runner Ladder Caddy.....J-3
- Pole Mounted Ladder Bracket..... J-4
- 5G/C-RAN Ladder Bracket.....J-5

Utility Locator Tools - Section K
- Pack-Rat Locator Vest.....K-1

Storage Solutions - Section L
- Cable & Wire Storage Box.....L-1
- Reel-Deal Cable Caddies.....L-2
- Reel-Deal Single Line Pull Caddy.....L-3
- Fiber Drop Caddy.....L-4

Heaters- Section M
- Big Buddy Heater.....M-1
- Bucket Heater.....M-2

Umbrellas - Section N
- Dielectic Umbrellas.....N-1
- Work Umbrellas.....N-2
- Umbrella Accessories.....N-3

Underground Solutions - Section O
- Buried Closures.....O-1
- SealGuard II Water Sealing Solutions.....O-2

Worker Safety - Section P
- Attic-Trax Walkoards.....P-1
- Wheel Chocks P-2
- Safe-T Lid & Versa Lid.....P-3
- Chain Hoists.....P-4
- Handi Hoists.....P-5
- Outrigger Pads.....P-6
- Pole Removal Pad.....P-7

Weed Control - Section Q
- Ped-Mat.....Q-1
- Utility Pole Mat Kit.....Q-2

High Visibility Workwear - Section R

U-TECK

U-TECK™
Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville,
North Carolina 28312
(800) 542-7011 / UTECK.COM

FIBER OPTIC SPLICING WORKSTATION

U-TECK is proud to offer the next generation fiber splicing workstation to support fiber splicing at the splice or optical network terminal (ONT). The NEW! Fiber Optic Splicing Workstation has a larger work surface, but offers the ability to fit in most work sites. It can be used as a freestanding workbench or in narrow manhole environments, inside tents, central office work, and light enough for aerial work in a bucket or attached directly to the cable support strand by removing the work surface from the stand.

Features:

- Portable workbench
- Large work surface
- Compact fold-up
- Built in slots & holes for tools
- Heavy duty steel legs
- Quick-attach standoffs for hanging
- Adjustable height
- Cable management attachment included

The heavy duty, steel legs lock firmly to the work surface at heights of 32" and 40" tall, keeping your table at a comfortable working level. Our unique Cable Management Bracket fits securely on either side of the workbench, allowing jacketed strands to stay put and separated until you need them.

Separate the work surface from the stand and quickly attach the two unique stand-off props with adjustable webbing into the 4 accessory slots and you can take your work table to new heights, giving you a secure and level work surface when hanging it over terminal casings inside data rooms, closets, and outdoors against a wall for wall-mounted ONT's or NID's.

SCAN ME FOR MORE INFORMATION!

U-TECK™

Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

Ordering Information

Description:	Product #:
Workstation with floor stand only	55700
Workstation with floor stand + cable management bracket, and stand-offs	55701
Workstation with floor stand + cable management bracket	55706

Attach the Aerial Strand Cables into the 4 accessory slots and your table is right where you need it for work at the cable support strand while working from an aerial bucket truck.

The Workstation surface area is approximately 35-1/2" x 22-1/2", with an inside recessed area of 22" x 18" and a weight capacity of 100 lbs. Slots and holes are molded into the table to conveniently hold tools, parts, splicing sleeves and other splicing equipment. This recessed area prevents small pieces from rolling off. The table folds up neatly for quick and easy transport and storage. If you use the Workstation with the table top, floor stand and cable management bracket, it will weigh in at 17.63 lbs.

Hanging the Workstation using just table top, stand-offs, and the cable management bracket, the total weight is a mere 10.27 lbs!

No matter where your fiber splicing duties take you, you'll want to have this lightweight Workstation available at all times. Durable, portable and stable, this will become a standard in your splicing environment.



Fiber Optic Splicing WorkStation Accessories

Fiber Splice Case Stand,
VPN: 55712
10 lbs

Aerial Strand Cables,
VPN: 55715
1 lb

Wheel Kit
VPN: 55740
10 oz

Stand-Offs
VPN: 55711
2.4 lbs

LED Dual Power Light
with Magnifying Glass,
VPN: 55615
1.45 lbs

Tablet Holder
VPN: 55720
1.71 lbs

Black Poly-Mesh
3-Pocket Pouch,
VPN: 55710
.15 lb

Splice Tray Holder
VPN: 55725
.51 lb

Splicer Seat Tether
VPN:55745
5 oz

NEW FOR 2021!

U-TECK's New RayDius™ Fiber Quadrant Block is designed to protect fiber optic cable during installation. This product can be used as in Infeed Guide or an Outfeed Guide for Fiber Cable to prevent breakage, which can occur on some standard quadrant blocks. Pulling Diameter of 40" MBD (101cm), 600lbs (2700N) Max Cable Tension Load. *Always refer to recommended guidelines from cable manufacturers.

- Solid, Smooth, Cable Channel for consistent cable travel
- Lightweight, and Durable Design
- Ergonomic Grips for Safe Handling
- 6 Cable Keeper slots for securing cable
- All Stainless-Steel Hardware
- Minimum Bend Diameter and Max Load info clearly visible
- Fits most all existing Jamb Skids, Hanger Arms, Hanger Blocks, Support Bars, and Pole Brackets

This product will fit on all standard Jamb Skids, Hanger Arms, Hanger Blocks, Support Bars and Pole Brackets. The RayDius™ block has 6 unique CableKeeper slots for using Deltec™ strapping or tie wraps when you want to ensure that the cable continues to travel over the block without bouncing off.

The RayDius™ has gone through extensive wear and temperature testing and has exceeded all factory testing standards. And did we mention it's available at a fraction of the cost of traditional Quadrant Blocks?

U-TECK™
Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

SPLICER SEAT



U-TECK has combined a longtime, craft-accepted design with a new polyethylene material to produce a rugged splicer seat that can be warranted for up to five years.

With the U-TECK Splicer Seat, there is never a need for water treatment because it is waterproof.
No need for painting, either; the color is molded into the seat. And no worries about splintering. It is ouchless! This seat can be drilled to attach other equipment, such as splicing machines.

Features:

- Extremely rugged
- Convenient tool slot
- Traditional design
- Large sitting area
- Polyethylene material
- Textured surface
- Five-year warranty
- Available in grey & safety orange

U-TECK has even included a handy tool slot in the top to hold your tools, connectors, or other small items when you need them close at hand.

Conventional splicing machines can be attached to the Splicer Seat. The unique design of the seat allows it to be used at three different positions for varied heights. The Splicer Seat also makes an excellent footstool. With this seat, you will never need to purchase a replacement again.

Separate the work surface from the stand and quickly attach the two unique stand-off props with adjustable webbing into the 4 accessory slots and you can take your work table to new heights, giving you a secure and level work surface when hanging it over terminal casings inside data rooms, closets, and outdoors against a wall for wall-mounted ONT's or NID's.

U-TECK™
Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

Ordering Information

Description:	Product #:	Dimensions:	Weight:
Grey "P" Splicer Seat	55430	18"L x 14.75"W x 11.75"H	10LBS
Orange "P" Splicer Seat	55430-OR	18"L x 14.75"W x 11.75"H	10LBS

Splicer Seat Accessories

MS2 Splicer Adapter

Fits on your MS2 splicing tool to easily attach and remove it from the Splicer Seat.

Seat Cushion

Thickly padded cushion in a weather-resistant cover. Comes complete with three large pockets for tools and materials.

Universal Splicing Head Adapter

Used to temporarily attach either a 710 or MS2 splicing machine to the Ergonomic Seat or the "P" Splicer Seat. Can be mounted in several locations as desired by individual splicers.

Splicing Arm Base

Fits under your Splicer Seat to attach your modular splicing tool when you do not want to attach it directly to the Seat.

710 Splice Adapter

Fits on your 710 modular splicing tool to easily attach and remove it from the Splicer Seat.

Tool Base Adapter

Assists you when permanently attaching your 710 splicing tool to the Splicer Seat.

Splicing Mat

3 ft. x 4 ft. rugged, washable, reusable pad that covers the work area. Keep your jelly-filled cable out of the dirt, and you and your tools out of the mud and weeds.

Retro Fit Kit

Allows the upgrade from the Splicer Seat to the Ergonomic Seat. Includes the splicer seat adapter, the Ergonomic Seat, and even the drill bits to drill the holes.

Ordering Information

Description	Product Number	Packaging	Weight
MS2 Splice Adapter	55420	1 each	2 lbs.
710 Splice Adapter	55500	1 each	1 lbs.
Tool Base Adapter	55450	1 each	1 lbs.
Seat Cushion	55430-CU-BLK	1 each	1 lbs.
Splicing Mat	55430-MAT	1 each	3 lbs.
Splicing Arm Base	55430-BASE	1 each	6 lbs.
Universal Splice Adapter	55460	1 each	16 lbs.
Retro Fit Kit	55430-RETROKIT	1 each	2 lbs.

WORKCENTER ERGO SEAT

U-TECK has taken a field-proven and craft-accepted design—the "P" Seat—and incorporated it into The WorkCenter, the newly designed Ergo Splicer Seat workstation. The upper portion of this seat removes easily, making setup possible even in tight, hard-to-maneuver spaces

Features:

- Anti-Skid Bottom
- Convenient Tool Slot
- Swivel 360 Degrees
- Seat Back and Cushion Area removes and Folds up
- Weather Resistant
- All Hardware is Stainless Steel
- Breaks down For Tight Places & Easy Storage.
- Seat Can Be Used With or Without Back
- Base is available in Grey & High-Vis Safety Orange

The WorkCenter as a complete unit is available to be ordered, or you can purchase a simple kit which will retro fit the thousands of existing Splicer Seats that are being used by companies today. This will result in a tremendous savings for your individual budget.

The multi-faceted unit is also the toolbox personnel are accustomed to, which lets them keep their tools and materials convenient during an entire operation.

U-TECK has also designed a new Universal Splicing Head Adapter for mounting splicing heads to the seat base. This adapter will accept virtually any splicing machine. It may be mounted in different positions to accommodate the preference of the individual splicer. This makes the WorkCenter a complete workstation.

U-TECK™
Your Safety... Our Solutions.
159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

Ordering Information

Description:	Product #:
"P" Seat with Ergo Seat	55430-SS
"P" Seat with Ergo Seat and Tool Pouch	55430-SS-POC
WorkCenter Retrofit Kit	55430-RETROKIT
WorkCenter Retrofit Kit with Tool Pouch	55430-RETROPOC

FIBER OPTIC PROTECTOR SLEEVE

U-TECK's Fiber Optic Protector Sleeves were developed to protect and strengthen fusion splices on fiber cables. The construction of the three separate protective and strengthening elements of the sleeve are distinctive in the function that each provides.

The inner stainless steel pin keeps the sleeve rigid and stable. The pins are vibratory tumbled with a special medium. This eliminates the possibilty of fiber scarring or material penetration, preventing damage to sensitive glass fibers.

The outer tube is manufactured of a heat shrinking polyolefin. This encloses the inner tube and the encapsulated fiber splice, providing double protection and ensuring that moisture and air are eliminated from the fiber splice.

U-TECK's Fiber Optic Protector Sleeves are available in a standard length of 2 3/8" and are adaptable with all standard organizers. However, various lengths are available upon request.

U-TECK™
Your Safety... Our Solutions.
159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

Ordering Information

Description:	Product Number:	Packaging:	Weight:
Fiber Optic Protector Sleeve	55501	50 each	1.69 oz.

MAGIC WRAP

Magic Wrap® is an Emergency Repair Kit on a Roll. A poly-butyl rubber compound, Magic Wrap® is activated when stretched. This activation causes Magic Wrap® to adhere to itself. Thus, any object which can be spiral wrapped can be repaired or sealed

Magic Wrap® is ideal for use on dirty or wet surfaces. Because there is no adhesive, there is no reason that dirt or moisture will cause it to fail. Repairs can even be done underwater!

Magic Wrap® is ideal for the following repairs:

Automotive – will repair engine hoses, even fuel lines (to repair fuel lines, the white liner must be used first, then the Magic Wrap® over top of the white liner. The white liner prevents any reaction between the fuel and the Magic Wrap®.)

Electrical – UL listed

Plumbing – works on copper and PVC pipes under pressure – no need to turn off the source of water

Sealing, weatherproofing, splicing, covering, holding/bundling, joining and repair applications

General Household repairs

Sporting goods – grips for hockey sticks, tennis rackets, fishing rods

Ordering Information

Description:	Product #:
Magic Wrap 1" x 16' (48 rolls per box)	UT-80001
Magic Wrap 2 ” x 16' (24 rolls per box)	UT-80031

U-TECK™
Your Safety... Our Solutions.
159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

RAYDIUS FIBER QUADRANT BLOCK

U-TECK's New RayDius™ Fiber Quadrant Block is designed to protect fiber optic cable during installation. This product can be used as in Infeed Guide or an Outfeed Guide for Fiber Cable to prevent breakage, which can occur on some standard quadrant blocks. Pulling Diameter of 40" MBD (101cm), 600lbs (2700N) Max Cable Tension Load. *Always refer to recommended guidelines from cable manufacturers.



Features:

- Solid, Smooth, Cable Channel for consistent cable travel
- Lightweight,and Durable Design
- Ergonomic Grips for Safe Handling
- 6 CableKeeper slots for securing cable
- All Stainless-Steel Hardware
- Minimum Bend Diameter and Max Load info clearly visible
- Fits most all existing Jamb Skids, Hanger Arms, Hanger Blocks, Support Bars, and Pole Brackets

Using a new, gently curving solid design we were able to provide a smooth contour, while maintaining the required bend radius of the Fiber Optic Cable, and eliminating breakage caused from contact pressure.

This product will fit on all standard Jamb Skids, Hanger Arms, Hanger Blocks, Support Bars and Pole Brackets. The RayDius™ block has 6 unique CableKeeper slots for using Deltec™ strapping or tie wraps when you want to ensure that the cable continues to travel over the block without bouncing off. Using proper tools, such as the RayDius™ will also greatly reduce man hours spent trying to resolve internal cable breakage issues. The RayDius™ is also safer to utilize and lightweight for easier manuvering in small spaces with ergonomic grips molded into the design! Buy with or without the Ballistic Nylon Case!

The RayDius™ has gone through extensive wear and temperature testing and has exceeded all factory testing standards. ***And did we mention it's available at a fraction of the cost of traditional Quadrant Blocks?***
Not only that, but we are currently working on several products that will work with the RayDius™ - such as Aerial Pole Brackets to allow vertical and horizontal pivoting! Buy this product with or without the Carrying case - which features rigid side walls, padded shoulder strap and inside pockets!

U-TECK™
Your Safety... Our Solutions.
159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

Ordering Information

Description:	Product #:	Weight:
RayDius™ Fiber Quadrant Block	59200	9 Lbs
Balistic Nylon Carrying Case w/ padded strap	59225	3.8 Lbs

MESH BULK REEL

U-TECK's NEW Cable Pulling Mesh Bulk Reel provides an easy convenient means of pulling various sizes of Fiber Optic Cable. Our convenient bulk reel allows you to cut and fashion grips when needed.

Features:

- Extremely Strong (Rated to 700lbs)
- Adds minimal overall diameter to cable.
- 2 sizes for a wide range of cable diameter
- Cuts cleanly with little fraying.
- Abrasion resistant.
- Minimal Fraying

We recommend tying a simple bowline knot leaving a 3" minimum tail.



*Always refer to your cable manufacturers recommended maximum pulling weights.

*Always test knot for strength before using!

Pulling Sleeve Grips are also available in a package of 3!

U-TECK™
Your Safety... Our Solutions.
159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

Ordering Information

Description:	Product #:
Cable Pulling Mesh, Bulk Reel, Black, 1/2" x 100Ft., used to pull cable sized 3/8" to 3/4" diameters.	UT-MESH.50
Cable Pulling Mesh, Bulk Reel, Black, 3/4" x 75Ft., used to pull cable sizes 3/4" to 1-1/4" diameter.	UT-MESH.75

CABLE PULLING MESH GRIPS

U-TECK's Cable Pulling Grips provide an easy convenient means of pulling various sizes of Fiber Optic Cable.

Features:

- Extremely strong. (Rated up to 700 lbs.)
- Convenient pulling loop.
- Kevlar thread for stronger hold
- Safer than other metallic grips.
- 60" total length.
- Adds minimal overall diameter to cable while pulling.
- 2 color coded sizes for a wide range of cable diameter.
- Abrasion resistant.
- Minimal Fraying
- Grips Can be used repeatedly after inspection

Made with Dual Polymer and Kevlar Construction. Radial Compression holds cables tightly during pull.

*Always refer to your cable manufacturers recommended maximum pulling weights.

*Always test Pulling Loop & Grip Body for strength before re-using by sliding protective cover down to inspect the pulling loop and sliding back into place.

U-TECK™
Your Safety... Our Solutions.
159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

Ordering Information

Description:	Product #:
Cable Pulling Grips- Small "Blue", Black 1/2" non-metallic mesh, used to pull cable sizes 3/8" to 3/4" diameter. Packages of 3.	GRIP-SM.50
Cable Pulling Grips- Large "Yellow", Black 3/4" non-metallic mesh, used to pull cable sizes 3/4" to 1-1/4" diameter. Packages of 3.	GRIP-L.75

RADIUS BEND TOOL

U-TECK's Bend Radius Tool ensures the correct minimum bend radius of no less that 8" when installing #6 copper grounding wire. This tool helps safeguard proper grounding, and reduces risk of arc flash in a lightning event. Please keep bends at a 90 degree minimum.

Features:

- Easy, Convenient 8" Radius Guide
- Ensures installers stay up to Industry Standards with bends under 90 degrees and a radius less than 8" when installing bonding conductors
- Easily fits in any tool pouch
- Comes with built in level for using angles
- 8" reference is not just for mobility, it is a commonly recognized dimension across industries related to lightning surge protection





Ordering Information

Description:	Product #:
Cable Pulling Mesh, Bulk Reel, Black, 1/2" x 100Ft., used to pull cable sized 3/8" to 3/4" diameters.	UT-MESH.50
Cable Pulling Mesh, Bulk Reel, Black, 3/4" x 75Ft., used to pull cable sizes 3/4" to 1-1/4" diameter.	UT-MESH.75

U-TECK™
Your Safety... Our Solutions.
159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

MANHOLE SAFETY

MANHOLE SAFETY

U-TECK™
Your Safety... Our Solutions.

Call for your Quote Today! 1-800-542-7011

Safe-T Lid & Versa Lid

U-TECK's Safe-T Lids provide fall-in protection while performing various functions at Manholes and Hand Holes

Product Features:

- Lightweight design
- Holds up to 300lbs
- Easy to maneuver
- Comes in various sizes
- Versa Lid fits most size manholes
- Customized to suit your needs

www.UTECK.com / 1-800-542-7011

Employee Spotlight

Nan Jackson

Chances are, if you have called U-TECK in the last SEVENTEEN years, you have spoken to Ms. Jackson. She has been an integral part of the U-TECK family for almost two decades. Ms. Jackson's official title is "Supply Chain Manager', but she does that and so much more! From Weedender Quotes to being THE Root of all Evil, Nan has her finger on the pulse of just about everything U-TECK does! Nan is a self starter and self motivated person with high caliber. Her passion for quality is only surpassed by her passion for a good pirate accent. Drop her a line at njackson@uteck.com

U-TECK™
Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville,
North Carolina 28312
(800) 542-7011 / UTECK.COM

TEMPORARY FIBER DROP MARKERS

When new communication services are installed at a location, often a temporary cableis placed on the ground and left until such time as a crew can come and permanently bury the cable in the ground.

Features:

- Quick, easy, light weight
- 2.5" in diameter
- Highly visible fluorescent orange acrylic material
- Protects expensive cable drops prior to trenching
- Reusable



This leaves the cable vulnerable from damage caused by vehicle traffic, mowers and people tripping on the cable, not aware of its presence. U-TECK has developed a temporary solution to this problem. Our markers are made from a Highly Visible Fluorescent Orange Acrylic material that enhances the visibility of the cable and helps reduce damage that might occur.

Each marker is 2.5" in diameter. Simply insert the staple pin onto the marker disc with the message side up, straddle the cable with the marker, and push firmly into the ground. The arrow indicator should align with the direction of the cable. Space markers adequately for best results.

U-TECK's Temporary Fiber Drop Markers are meant to be reused. Fully customizable with your Logo and company colors!

U-TECK™
Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

Ordering Information

Description:	Product #:	Quantity:
Temporary Fiber Drop Marker	55360	25/pack 100/box

FIRE RETARDANT INTERIOR BACKBOARDS

82K

U-TECK manufactures a full line of Fire Retardant Backboards for Telecom and Datacom Equipment Installations. Check your local building codes and requirements. These backboards make installations quick and uncomplicated for technicians and contractors on the move and come ready for interior or exterior applications!

Comes in White or Gray / Low Maintenance / Moisture and Termite Proof / ASTM Certified / UV Stable / No Splitting or Cracking

Our backboards are constructed of ¾" AC grade interior plywood purchased from sustainable forest wood manufacturers. They have 4 pre-drilled mounting holes, are sanded and then painted with gray or white fire retardant intumescent paint. The board is Class "A" rated per ASTM E84 (testing documentation available upon request). Our finished backboards are of the finest quality, and we have supplied backboards without any safety concerns or complaints regarding quality and reliability.



By specifying U-TECK Backboards, you can be sure you will uphold the quality and safety standards of your company while meeting todays construction guidlelines.

Offering the highest quality products available is always our top priority. This objective was never taken more seriously than when we were approached to produce a fire-retardant backboard for use with telecommunication equipment. While other manufactures offer products using just the paint testing to prove fire retardancy, we aimed for a Class "A" rating for the entire backboard! We submit random backboards to an outside testing lab to continuously test our finished units using the Steiner tunnel test. This test is conducted in accordance with the ASTM International fire-test response standard E84, to ensure our finished products can be labeled as Class "A" rated, the highest rating available within that ASTM specification.Every U-TECK Fire-Retardant Backboard comes with this Class "A" rating, along with the Class Rating Label affixed to each board! That makes ours the safest backboards available in the market today! Custom Colors are available!

Ordering Information

Fire Retardant Gray

Product Number	Model	Size
50104-FR	04	47-15/16" x 48" x ¾"
501079A-FR	79A	4-15/16" x 12-1/2" x ¾"
501081-FR	81	12-1/2" x 25-1/2" x ¾"
501082A-FR	81A	6-3/4" x 38-1/2" x ¾"
501082B-FR	82B	9-3/8" x 54-7/8" x ¾"
501082C-FR	82C	11-7/8" x 55-5/8" x ¾"
501082D-FR	82D	6-34" x 21-3/8" x ¾"
501082E-FR	82E	14" x 24-3/4" x ¾"
501082F-FR	82F	14" x 24-3/4" x ¾"
501082G-FR	82G	9-3/8" x 63" x ¾"
501082H-FR	82H	17" x 26" x ¾"
501082J-FRG	82J	24" x 36" x ¾"
501082K-FR	82K	24" x 48" x ¾"
501082L-FR	82L	24" x 24" x ¾"
501082M-FR	82M	48" x 96" x ¾"

Fire Retardant White

Product Number	Model	Size
50104-FRW	04	47-15/16" x 48" x ¾"
501079A-FRW	79A	4-15/16" x 12-1/2" x ¾"
501081-FRW	81	12-1/2" x 25-1/2" x ¾"
501082A-FRW	81A	6-3/4" x 38-1/2" x ¾"
501082B-FRW	82B	9-3/8" x 54-7/8" x ¾"
501082C-FRW	82C	11-7/8" x 55-5/8" x ¾"
501082D-FRW	82D	6-34" x 21-3/8" x ¾"
501082E-FRW	82E	14" x 24-3/4" x ¾"
501082F-FRW	82F	14" x 24-3/4" x ¾"
501082G-FRW	82G	9-3/8" x 63" x ¾"
501082H-FRW	82H	17" x 26" x ¾"
501082J-FRW	82J	24" x 36" x ¾"
501082K-FRW	82K	24" x 48" x ¾"
501082L-FRW	82L	24" x 24" x ¾"
501082M-FRW	82M	48" x 96" x ¾"

Shown above are our most common sizes...we have many more available and are able to manufacture custom size backboards to meet your specifications.

Backboard Specifications



EXTERIOR BACKBOARDS

U-TECK recognizes the need for long-lasting material construction when choosing a backboard for outdoor use. Nature itself can be a brutal force, with outdoor backboards being exposed to fluctuating temperatures, rain, wind, and hours of direct sunlight. When you choose an outdoor backboard, choose one that will outlast standard wood backboards for years of low maintenance use.

FEATURES:

- Constructed from 3/4” impact resistant plastic
- Paintable and ready to install
- Low maintenance
- Moisture and termite proof
- A size for every job
- No grain raise or knots
- No splitting or cracking
- UV stable
- Meets UL94 5V, UL 1975 and has a flame spread of 20 according to ASTM E84

Made from 3/4” impact resistant plastic, our Exterior Backboards are super tough and moisture proof. Available in any size configuration, this backboard will never rot, split or crack, yet can be drilled and painted like wood. It is perfect for any outdoor mounting use, including on cell towers to mount communication and power equipment.



Why mount your equipment to backboards that will need to be replaced due to constant weather exposure? Choosing the right tool for the job guarantees you’ll save your company time and money.

U-TECK™
Your Safety... Our Solutions.

159 Rock Hill Rd
Fayetteville NC 28312
1-800-542-7011 / www.UTECK.com

MOUNTING BRACKETS & SUPPORT CLAMPS

HANGER BRACKETS
Aluminum hanger brackets for mounting a wide variety of copper, coax, or fiber optics cable terminals and splice cases on building walls or on poles.

3.5" x 22"	VPN: UT-T556-5
3.5" x 27.5"	VPN: UT-T556-1
3.5" x 33"	VPN: UT-T556-2
3.5" x 40"	VPN: UT-T556-4
5.5" x 40"	VPN: UT-T556-3

E WALL BRACKET
The E Wall Bracket is used in conjunction with a one-bolt guy clamp for supporting strand on exterior walls where more than 3" of clearance is required between cable and wall. Bracket provides a clearance of 8".
VPN: UT-T639-3



WALL MOUNTING BRACKETS
Insure fast and secure placement of MC 12/40, CAD-12, and NCAD-12 closures on finished exterior walls. Various lengths allow proper stand off distance to clear obstructions. Galvanized steel, painted to match closure.

MC10/48 1"	VPN: UT-T484-1
MC10/48 2"	VPN: UT-T484-2
MC10/48 3"	VPN: UT-T484-3
MC10/48 4"	VPN: UT-T484-4
MC10/48 5"	VPN: UT-T484-5
MC10/48 6"	VPN: UT-T484-6

S WALL BRACKET

The S Wall Bracket is used to support strand on interior walls of either frame or masonry construction. Provide a 2" stand off from the wall.

VPN: UT-T639-4

HARDWARE MOUNTING FOR FIBER SNOWSHOE

4"The Fiber Snowshoe is used to secure a tap or other electronic device to a strand. This product includes a bracket, set of mating jaws, a carriage bolt, and square nut.

VPN: UT-U500-1

INSULATOR SUPPORT CLAMPS
Used in conjunction with cable clamps, one-bolt guy clamps, and bridle rings for attaching to structural steel members such as H or I beams. Provides bonding point for mobile homes, trailers, etc. (10 pack)

B CLAMP	VPN: UT-B1420
C CLAMP	VPN: UT-C3816

AERIAL STRAND HANGER BRACKETS
Designed to support aerial closures and terminals when more than one aerial cable is carried by the strand. The bracket clamps to the strand, circles around the upper cable, and provides a strand-like rod to which the aerial closure may be attached. No complex adapters or special tools required.

37" Bracket	VPN: UT-T556-21
40" Bracket	VPN: UT-T556-22

C BEAM CLAMP

The C Beam Clamp is used for intermediate attachments of strand to the flange of a structural steel member. (10 pack)

VPN: UT-T5887

'POP N WORK' PED PAL TENT

Features:

- One door Tent with 'A' Shape Zipper Door
- Adjustable Anchoring Strap
- Quick-Pack Storage wrap for easy Storage
- Two sizes available

Cover Features:

- White 250 Denier Coated Polyester Sidewalls
- Safety Green 300 Denier Coated Poly Door / Back
- Urethane Coated Polyester
- Flame Retardant CPAI 84
- Water Repellent
- UV Rated

Frame Features:

- 18 Gauge Galvanized Tubing for the front legs
- Cold Rolled Steel Hinges
- 70% Glass Content Fiberglass rod tension frame on Rear Wall
- Pitched Roof



U-TECK™
Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

Ordering Information

Description:	Product #:	Weight:	Specs:
Ped Pedal Tent 5' X 4'	39022-1	15 LBS.	48" x 48" x 60" work space
Ped Pedal Tent 5' x 5'	39022-2	20 LBS.	60" x 60" x 72" work space

VENT TENT

U-TECK has developed the Vent-Tent, a portable shelter with more safety features than any other manufacturer currently has available in today's market

Features:

- Quick and easy set-up
- Many safety features
- Lightweight & compact
- Full circulation
- Non-corrosive hardware
- Reflective sides• No preshrinking
- Will not mildew
- 10" Blower Port in back

The Vent-Tent is specially designed to safeguard the craft person from fatal carbon monoxide build-up. The standard features that U-TECK installed allow air to be fully circulated by the following methods:

- Three of the sides have a lower-level vent, which allows for up to 18 inches of opening for air circulation at ground level.
- Two of the sides have a window, which may also be opened for upper-level air circulation.
- The combination of open lower-level vents and open windows allows for cross-ventilation, which eliminates the possibility of fatal carbon monoxide build-up.

U-TECK has also installed a "sock" in the back of the Vent-Tent to allow for a ventilator hose, blower, or heater-blower combination to be hooked up.



In addition to carbon monoxide protection, the Vent-Tent, with its roll-up bottom and side windows, is excellent on hot, rainy day

U-TECK™
Your Safety... Our Solutions.
159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

Ordering Information

Description:	Product #:
VENT TENT	39170-G

CANOPY TENT

U-TECK's Canopy Tent comes with adjustable legs for a quick and easy set up. This product is perfect for a wide range of work sites such as:

•Pedestals
•Handholes
•Open Trenches .....and so many more

Features:

- Quick and easy set-up
- Many safety features
- Lightweight & compact
- Full circulation
- Non-corrosive hardware
- CPAI 84 Compliant
- Will not mildew
- Accessories Available

Add the optional Removable 3 Wall Set and place next to buildings and structures for a fully enclosed work shelter.

The optional Storage Bag will protect the canopy and side walls from damage during storageand transport

U-TECK™
Your Safety... Our Solutions.
159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

Ordering Information

Description:	Product #:
6' X 6' CANOPY TENT	39175
REMOVABLE WALLS (X3)	39176
STORAGE BAG	39177

SENSIT P100

SENSIT P100 Offers a very simple two button operation for power, zeroing, and performing calibration. Multiple LED's beneath the frosted area create a very bright warning even in bright sunlight. Calibration is easy to complete manually or with the SCAL-100 calibration station.

The housing is constructed of durable ABS plastic and shock absorbing material to protect the instrument from the rigors of field use. The instrument is sealed to maintain the integrity of the IP65 rating.



FEATURES:

- Intrinsically Safe Design (Certified)
- One Button Operation
- Audible Alarm
- Visual Alarm
- Vibration Alarm
- STEL and TWA Alarms
- Alarm Event Memory
- Easy Field Calibration
- 2-Year Operation
- For use with SCAL-100 Test Stations

159 Rock Hill Rd, Fayetteville,
North Carolina 28312
(800) 542-7011 / UTECK.COM

Patented

TO OPERATE:
1. **Press Power**
2. **Wait 30 Seconds for Automatic Zeroing**
3. **Begin to Use**

SENSOR SPECIFICATIONS

TYPE	RESOLUTION	RANGE
O2	0.1%	25%
CO*	1ppm	0-999*
H2S	1ppm	0-100
HCN	0.1ppm	0-30
NO_2	0.1ppm	0-20
SO_2	0.1ppm	0-20

***CO Extended Display Option:**

Detection Range:
0ppm - .2% Volume
(2000ppm equivalent)

Resolution:
1ppm for 0 – 999ppm
01% Volume for 1000ppm – 2000ppm

PRODUCT SPECIFICATIONS

Size:	3.81" x 2.31" x 0.8" (9.67 x 5.87 x 2 cm)
Weight:	3.6 oz. (105 g)
Operational Temp:	-4 to 104 F (-20 to 40° C)
Humidity:	15-90% RH (Non-condensing)
Power Source:	3.6V Lithium Battery
Battery Life:	2+ Years

STANDARD KIT

Belt Clip
Instruction Manual

KIT OPTIONS

Bump Test Station
Calibration Kit

OPTIONAL FEATURES

"Always On" Mode
Infrared Communication

Remote Sample Draw Assembly
Aspirator with 10ft. Tubing and Probe

*CO Extended Display Option:
Detection Range: 0ppm - .2% Volume (2000ppm equivalent)
Resolution: 1ppm for 0 – 999ppm
01% Volume for 1000ppm – 2000ppm

3-Year Operation

Approvals

MET C US — complies with UL 913, CSA 22.2 NO. 157
LISTING NO: E112902

Class 1, Groups A, B, C, & D
Ex ia
Temp code: T4

CE 0891 Ex II 1 G

Ex ia IIC T4 (-20°C ≤ T_{amb} to ≤ 50°C)
AEx ia IIC T4 (-20°C ≤ T_{amb} to ≤ 50°C)
IP65
ATEX Cert. No.: TRAC 09 ATEX 11195X
EMC Directive (2004/108/EC)
EN 61000-4-2:1995, EN 61000-4-3:2002, EN 55011:2007

SENSIT® P400

PERSONAL MONITOR

User-Friendly Multi-Gas Monitor

Available with IDS!
Immediate Detection System

SENSIT® P400 alerts workers of dangerous levels of oxygen, combustible & toxic gases

STANDARD KIT

Belt Clip
Instruction Manual
Calibration Adapter
Dust Pre-Filter
Alkaline Batteries

KIT OPTIONS

Confined Space Entry Kit
Calibration Station
Calibration Kit
Recharger Battery Pack
Recharger Station

OPTIONAL FEATURES

Immediate Detection System (IDS) Pre-Alarm Indicator

High Performance Motorized Sample Pump with Filter and 10ft. Tubing and Probe. Samples up to 100ft.

Remote Sample Draw Assembly Aspirator with 10ft. Tubing and Probe

Serial Communication

Stainless Steel Clip

*CO Extended Display Option:
Detection Range: 0ppm - 1999ppm

SENSOR SPECIFICATIONS

TYPE	RESOLUTION	RANGE	ACCURACY	RESPONSE T90 TIMES
LEL	0.1%	0-100	±10%	< 10 Sec
O2	0.1%	25%	±2% or 10%**	< 10 Sec
CO	1ppm	0-999*	±5ppm or 10%**	< 10 Sec
H2S	1ppm	0-100	±2ppm or 10%**	< 20 Sec
HCN	0.1ppm	0-30	±1ppm or 10%**	< 20 Sec
NO_2	1ppm	0-250	±2ppm or 10%**	< 20 Sec
PH_3	0.1ppm	0-10	±1ppm or 10%**	< 20 Sec
SO_2	0.1ppm	0-20	±1ppm or 10%**	< 20 Sec
ETO	0.1ppm	0-10	±1ppm or 10%**	< 20 Sec

*CO Extended Range Available 0ppm - 1999ppm ** Whichever is greater

PRODUCT SPECIFICATIONS

Size:	5.2" x 3.2" x 1.7" (13.2 x 8.1 x 4.0 cm)
Weight:	12 oz. (340 g)
Operational Temp:	-4 to 122 F (20 to 50° C)
Humidity:	10-90% RH (Non-condensing)
Power Source:	4 "AA" Alkaline or NiMH Recharger Pack
Battery Life:	24 Hr. Alkaline or 15 Hr. NiMH
Typical Response Time:	Initial < 2 Sec T90 <10 Sec (LEL)
Sound:	98db @ 15cm

Approvals

CLASSIFIED UL 7WA6

For Class 1, Division 1, Groups A, B, C and D Hazardous locations when used with approved alkaline batteries or rechargeable battery pack.
IP65
Temp code: T4, 20° C to 50° C

CE 0891 II 2 G

Ex d ia IIC T4, Ga, IP65
-20° C to 50° C
DEMKO 12 ATEX 1102012

SENSIT® GOLD G2
GAS DETECTION INSTRUMENT
SENSIT®
0.0
NAT
%LEL
20.9
O2
%
READY
LOW
POWER
A
MUTE
TICK
B
MENU
Find gas leaks, monitor hazardous conditions, purge lines and more!
SENSIT
Technologies
Innovative Detection Solutions
MADE IN USA

Patented

TO OPERATE:

1. **Press Power**
2. **Wait 45 Seconds for Automatic Zeroing**
3. **Begin to Use**

SENSOR SPECIFICATIONS

TYPE	RESOLUTION	RANGE	ACCURACY
PPM*	1ppm or 10ppm	0-10,000 ppm	±10%
LEL	0.1% up to 2%	0-100% LEL	±10%
% NAT GAS	0.1%	5-100% GAS	±5%
% PROPANE	0.1%	2.2-100% GAS	±5%
O2	0.1%	0-25%	±0.2% or 10%**
CO	1ppm	0-2000ppm	±5ppm or 5%**
H2S	1ppm	0-100ppm	±2ppm or 5%**
HCN	1ppm	0-30ppm	±1ppm or 5%**

*PPM Optional
PPM Ranges Available:
0-2,000ppm, 0-5,000ppm, 0-10,000ppm

**Whichever is greater

PRODUCT SPECIFICATIONS

Size:	11.5" x 3" x 2.32" (29.2 x 7.6 x 5.9 cm)
Weight:	1.2 lb. (544 g)
Operational Temp:	-4 to 104 F (-20 to 40° C)
Battery Life:	Alkaline: Approximately 18 hrs. Continuous

STANDARD KIT

Hard Carrying Case
3 "C" Batteries
Extra Sensor Cap
Choice of 2 Piece Bar Hole Probe or Confined Space Probe
Wrist Strap
T10 Allen Wrench
Instruction Manual

OPTIONAL FEATURES

Data Logging Options:
100 Instant Event Saves
1600 Auto Log Saves
100 Bar Hole Tests

ADDITIONAL FEATURES

Bar Hole Test Features:
Peak Readings
Sustained Readings
Timed Test

Adjustable Calibration Reminders:
Calibration Due
Calibration Over-Due (Shows at Start-up)

Adjustable Gas Scales:
Auto Range Point for LEL to %Vol

Gas Identification Alert Options:
"NSR" - Non-Standard Response
"NSC" - Combustible Other Than Gas Calibrated to (4-5% Volume)

ATEX Cert. No. TRAC11ATEX21304X

CE 0891 Ex II 2 G
Ex ib IIB T3
Ex ia IIB T3
IP54

CERTIFICATE ISSUED BY:

US Listed UL 913

Intrinsically Safe for Use in Class I, Groups C and D, T3 Hazardous Locations

SENSIT® HXG-2d
COMBUSTIBLE GAS DETECTOR
READY
ppm
SENSIT HXG-2d
POWER
A
MUTE
TICK
B
CAL
Detect and find gas leaks fast with SENSIT HXG-2d
SENSIT
Technologies
Innovative Detection Solutions
MADE IN USA

TO OPERATE:

1. **Press Power**
2. **Wait 45 Seconds for Automatic Zeroing**
3. **Begin to Use**

Patent Pending

STANDARD KIT

Carrying Pouch
3 "C" Batteries
T10 Allen Wrench
Instruction Manual

KIT OPTIONS

Probe Assembly
Wrist Strap
Calibration Kit

OPTIONAL FEATURES

Rechargeable Battery:
NiCad Batteries
In-Unit Charging
Universal "Multiple Country" Charger

SENSOR SPECIFICATIONS

TYPE	RESOLUTION	RANGE	ACCURACY
LEL	0.1%	0-100% LEL	±10%
PPM*	10ppm	0-990 ppm	±10%

*PPM Optional

PRODUCT SPECIFICATIONS

Size:	3.5" x 10" x 1.6" (8.9 x 25 x 4 cm)
Weight:	1.2 lb. (0.544 kg)
Operational Temp:	-4 to 104° F (-20 to 40° C)
Battery Life:	Alkaline: Approximately 50 hrs. Continuous

SGS
710183
UL 913

Intrinsically Safe for Use in
Class I, Groups C and D, T3
Hazardous locations

AEx ia IIB T3
IP20
For use in clean dry areas only.

CE 0891 II 2 G
Ex ib IIB T3 Gb
IP 20
ATEX Cert. No. TRAC15ATEX0004X

Only use/store in an area that is clean and dry.

LIGHT INDUSTRIAL & UTILITY VENTILATOR

For a versatile portable ventilator with just the right amount of power, the UAF-1500 or 1500-230 (blower /extractor) is ideally suited for light industrial or utility applications. Perfect workhorses for small confined spaces such as manholes or sewers, these compact blowers deliver maximum airflow for a safe, comfortable, and controlled work environment. Your construction, utility, or telephone crews can depend on the UAF-1500 or 1500-230 to deliver a continuous flow of fresh air to blow and extract toxic or noxious gases.

FEATURES:

- CFM rating of 877
- Lightweight, only 18 lbs. (8.2kg)
- Stackable to save storage or work area space
- Capability to connect up to 50 feet of straight duct
- Ideal for manhole applications
- UL & CUL listed

DIMENSIONS

MODEL	1500	1500-230
Fan Type	Axial Blower/Extractor	Axial Blower/Extractor
Size	8" dia. (203mm)	8" dia. (203mm)
Weight	18 lbs. (8.2kg)	18 lbs. (8.2kg)
Height	18.5" (470mm)	18.5" (470mm)
Length	18.5" (470mm)	18.5" (470mm)
Width	12.5" (318mm)	12.5" (318mm)

AIR FLOW RATES

MODEL	1500		1500-230	
	CFM	M³/Min.	CFM	M³/Min.
Free Air	877	24.8	749	21.2
15' Straight	610	17.3	510	14.4
25' Straight	597	16.9	508	14.4
40' Straight	518	14.7	460	13.9
50' Straight	460	13.0	443	12.5
25' 1-90 bends	533	15.1	464	13.1
25' 2-90 bends	508	14.4	435	12.3

INDUSTRIAL HIGH CAPACITY VENTILATOR

For confined spaces that require a power house air ventilator, the UT-VAF-3000A can handle your most demanding industrial needs. With a forceful 1 H.P. motor, the UT-VAF-3000A can deliver both positive and negative airflow at an incredible maximum capacity of 2,091 CFM in the most difficult work environments. No matter what your industry or application-construction, demolition, utility, paper mill, shipyard, power station, tank purging, or manufacturing-the UT-VAF-3000A is designed to take on the toughest of jobs.

FEATURES:

- CFM rating of 2796 (59.2 m3)
- Weighs on 32.5 pounds (14.74kg)
- Stackable to save storage or work area space
- Powerful 1Hp electric motor (.75 kW) capability
- Ideal for confined spaces that need greater airflow
- This model is available with an American 3-prong plug or with the European Shuko plug.

AIR FLOW RATES

MODEL: 3000	A		B	
	CFM	M³/Min.	CFM	M³/Min.
Free Air	2,091	59.2	2,000	56.6
15' straight	1,756	49.7	1,700	48.1
15' 1-90 bends	1,637	46.3	1,400	39.6
15' 2-90 bends	1,500	42.5	1,250	35.4
25' straight	1,734	49.1	1,650	46.7
25' 1-90 bends	1,550	43.9	1,250	35.4
25' 2-90 bends	1,498	42.4	1,245	35.2
50' straight	1,643	46.5	1,425	40.3
100' straight	1,361	38.5	1,125	31.8

Flow rates/performance verified by CEESI in accordance with AMCA STD 210-85

DIMENSIONS

MODEL	3000
Fan Type	Axial Blower/Extractor
Size	12" dia. (305mm)
Weight	32.5 lbs. (14.75kg)
Height	21" (533mm)
Length	17" (432mm)
Width	14" (355mm)

U-TECK™

Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville,
North Carolina 28312
(800) 542-7011 / UTECK.COM

PNEUMATIC VENTILATOR

For confined spaces that require a powerful ventilator that meets strict hazardous space standards, the UT-VAF-3000P delivers high-performance with uncompromising safety. With a forceful 1.5hp motor, the UAF-3000P can deliver both positive and negative airflow at an incredible maximum capacity of 2,063 CFM in the most difficult work environments.

FEATURES:

- CFM rating of 2,063 (58.4 m3)
- Weights only 28 pounds (12.7 Kg)
- Stackable to save storage or work space area
- Powerful 1.5 Hp pneumatic motor
- Capability to connect up to 125 feet (38 m) of straight duct
- Redirect stale compressed air away from the main air stream
- UL and C-UL listed for use in Class I, Groups A, B, C and D; Class II, Groups E, F and G; and Class III Hazardous locations

DIMENSIONS

MODEL	3000P
Fan Type	Axial Blower/Extractor
Size	12" dia. (305mm)
Weight	28 lbs. (12.7kg)
Height	21" (533mm)
Length	17" (432mm)
Width	14" (355mm)

AIR FLOW RATES

MODEL	3000P	
	CFM	M³/Min.
Free Air	2,063	58.4
15' straight	1,753	49.6
15' 1-90 bends	1,616	45.7
15' 2-90 bends	1,450	41.1
25' straight	1,619	45.8
25' 1-90 bends	1,497	42.1
25' 2-90 bends	1,433	40.6
50' straight	1,531	43.3
100' straight	1,243	35.2

HIGH CAPACITY VENTILATOR

Designed for use in areas that require a greater exchange of air, the UAF-8000A promises performance. Equipped with a powerful 5hp motor, the UAF-8000A generates both positive and negative airflow at an outstanding maximum capacity of 9,968 CFM. Hold onto your seat, this 20.5 inch unit outperforms ventilators three or four times its size!

FEATURES:

- CFM rating of 9.986
- Weighs 119 pounds
- Powerful 5Hp electric motor
- Two built-in handles
- Dual-wall shell design
- Ideal for larger areas that require greater airflow

DIMENSIONS

MODEL	8000
Fan Type	Axial Blower/Extractor
Size	20.5" dia. (520mm)
Weight	119 lbs. (53.97kg)
Height	27.5" (698mm)
Length	27.5" (698mm)
Width	25.5" (647mm)

AIR FLOW RATES

MODEL: 8000	A	
	CFM	M³/Min
Free Air	7,184	203.4
25' straight	7,100	201.0
25' 1-90 bends	6,693	189.5
25' 2-90 bends	6,271	177.6
50' straight	6,839	193.6
50' 1-90 bends	6,494	183.9
50' 2-90 bends	6,015	170.3
100' straight	6,015	189.2

U-TECK™
Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville,
North Carolina 28312
(800) 542-7011 / UTECK.COM

VENTILATOR ACCESSORIES

DUCT WITH QUICK CONNECT - Available in 25 or 15 foot sizes for any model. Our duct hoses are made of flexible, light duty, vinyl, woven polyester. Ducts are easily retractable and designed to handle large volumes of air at relatively low pressure. The ducts are flame retardant and easily connect to fan lips for positive and/or negative airflow. Model 1225-SC duct is dipped in static conductive material for safe use in hazardous environments.

8" diameter by 15' length – VPN: U-0815
8" diameter by 25' length – VPN: U-0825
12" diameter by 25' length – VPN: U-1225
12" diameter by 15' length – VPN: U-1215

8-INCH DUCT COUPLER

This circular metal ring will allow you to connect multiple sections of duct.

VPN: A-8000

DUCT CARRIER

These lightweight polyethylene duct carriers hold up to 25 ft. each of 8-inch or 12-inch flexible ducting.

8 inch VPN: UTDSR-25-08P 12 inch VPN: UTDSR-25-12P

DUCT STORAGE RACK

Our durable metal rack is perfect for safe duct storage. It can store up to two 15' duct lengths or one 25' duct. This rack is available for 8" or 12" wide ducts.

8" Duct Storage Rack VPN: UTDSR-25-08
12" Duct Storage Rack VPN: UTDSR-25-12

159 Rock Hill Rd, Fayetteville,
North Carolina 28312
(800) 542-7011 / UTECK.COM

TEMPORARY CABLE PROTECTOR

Rubber Cable Protector
VPN: 55550



LENGTH	5 ft.
COLOR	Black
WEIGHT	11.4 lb. (5.2 kg)

FEATURES:

• Heavy Duty Single Channel Protector For Cable • Reduces Tripping Hazards and Hose Lines Up To 1" Diameter • Protects/Organizes Portable Cords & Cables • Non-Metallic, Industrial-Grade Rubber Construction • Optional Connector Kit Available For Most Sizes

Plastic Cable Protector
VPN: 55560

LID/BASE COLOR OPTIONS - Specify After Model Number

Orange/Black= O/B



LOAD CAPACITY (Max load tested at 70°F (21°C))
13,000 lb./Tire (5,896 kg)
26,000 lb./Axle (11,792 kg)

A: LENGTH	36 in. (91.44 cm)
B: WIDTH	10.81 in. (27.46 cm)
C: HEIGHT	1.25 in. (3.18 cm)
D: CHANNEL WIDTH	2.25 in. (5.72 cm)
E: CHANNEL HEIGHT	.75 in. (1.9 cm)
WEIGHT	7.8 lb. (3.54 kg)



FEATURES:

Protects cables and hoses up to .75" outside dia. • Dog-Bone Connectors to extend to any desired length • Reinforced hinged lid for easy cable placement • Patented 5-bar tread surface for maximum traction with standard ramps • Modular interlocking design for easy setup

U-TECK™
Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville,
North Carolina 28312
(800) 542-7011 / UTECK.COM

STREET SAVER
MICRO TRENCH PROTECTOR

U-TECK's New "Street Saver" Micro-Trench Protectors gives Fiber Optic Contractors added protection on their Saw Cuts, keeping the trench open and preventing breakage, prior to back filling. Using the Micro-Trench Protector results in a much cleaner looking finished product.

Features:

- Helps Prevent Edge Breakage Prior to Back Filling
- Two lengths available – 4' and 8'
- 3/4" 'fins' keep the product in place
- Street Savers Interlocked for Extended Coverage
- Sloped Edges on each side for Easy Ingress and Egress
- Constructed from HDPE - will not Break or Crack
- UV stable
- Results in a Cleaner Looking Finished Product

Two lengths are available to assist in complete trench coverage,and linking The "Street Savers" together is simple using our interlocking design, which also allows for flexibility when micro-trenches are cut along curves.

For higher speed traffic or overnight construction, there are 6 holes which can be used for temporally screwing or bolting the Street Savers into place.

The "Street Saver" is Constructed from High Density Poly Ethylene (HDPE), will not break or crack under heavy traffic and are UV Stable. The Hi-Vis HDPE ensures increased motorist awareness to the construction zone. The Sloped Edges ensure ease for Ingress and Egress.

The "Street Savers" were designed to stay in place by utilizing the ¾" fins located underneath the product. These fins sit into the Micro Trench, ensuring the Micro-Trench Protectors will stay firmly in place.

U-TECK™
Your Safety... Our Solutions.
159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

Ordering Information

Description:	Product #:	Weight:
12" x 96" Street Saver Micro-Trench Protector	29096	25 Lbs
12" x 48" Street Saver Micro-Trench Protector	29048	12.5 Lbs

MICRO-TRENCH TAMPER TOOL

The increase in fiber deployment initiatives have created the need for more cost effective ways of managing the task of fiber instaltion. Micro-trenching is one such solution

FEATURES:

- 14" long, 3/4" wide tamping end
- Tamping end constructed from 100% recycled solid plastic
- Welded, forged steel handle attachment
- Designed for quick and easy use

Micro-trenches are low impact slot cuts into roads,
sidewalks, etc, in which fiber is placed. This method offers quick and easy install, clean-up and surface repair, especially in urban areas. Although the widths and depths of these trenches vary based on local municipality specifications, the most common dimensions of the trenches are at least 1" wide, and up to 12" deep.

One challenge faced when placing fiber into these trenches is making sure the fiber is laying at the bottom of the entire trench in order to avoid potential future damage by road re-surfacing or other maintenance activities on the surface above. We've created a quick and easy tool that will ensure that your fiber is tucked neatly at the bottom of the trench and out of harms way. The 3/4" thick, 14" long tamper fits easily into the slot-cut, and, with it's curved end design, fits snug to the fiber cable without pinching or cutting. The tamper end is made from 100% recycled plastics fitted over welded forged steel. The straight 48" hardwood handle makes it easy to use and quick to tuck away in the back of your truck.

Please call the U-TECK Customer Service department now to order this unique Micro-Trenching Tamper Tool!

U-TECK™
Your Safety... Our Solutions.
159 Rock Hill Rd, Fayetteville,
North Carolina 28312
(800) 542-7011 / UTECK.COM

Ordering Information

Description:	Product #:	Packaging:	Weight:
Micro-Trenching Tamper Tool	55400	1 Each	6.75 LBS

MICRO-TRENCH CLIP AND INSERTION TOOL



Micro-trenching has become a widely accepted method of installing fiber optic services into areas where traditional cable placement would be too invasive. Micro-trenching involves cutting a narrow trench into concrete sidewalks, asphalt roadways, across parking lots, etc. Microduct is then installed into these trenches and usually placed relatively shallow as compared to traditional cable trenches. Many times the ducts float inside the trench for a myriad of reasons, mostly from the memory of the plastics, or the direction the trench is taking.

Features:

- Quick and easy insertion into narrow trenches
- Prevents microduct movement when backfilling
- Clips constructed from durable stainless steel

U-TECK has developed an approved method of holding the duct firmly to the bottom of the trench by placing our new trench clips into the narrow gap of the trench and firmly against the duct. These spring clips expand and press against the sidewalls of the trench and hold the duct in place so that backfilling procedures can then take place.

To ensure clips work to their full potential, always install where the side walls of the trench are smooth and free from debris. The Micro-Trench Clips should be used in trenches dug in Hard Surfaces with clean cut edges.

These clips are installed using our trench clip insertion tool. A trench clip is attached to the tip of the trench clip insertion tool and then pressed into the gap of the trench and firmly against to the top of the duct. Trench clips are specially designed to release from the insertion tool as they are forced into the gap. Trench clips are packaged in a standard package on 1000 pcs.

U-TECK™
Your Safety... Our Solutions.
159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

Ordering Information

Description:	Product #:	Weight:
Micro-Trench Clip	55310	.1 Oz.
Micro-Trench Clip Insertion Tool	55300	8.8 Oz.

UNIVERSAL LADDER WEDGE

Years ago, U-TECK combined a longtime, craft-accepted wooden ladder wedge design with polyethylene material to produce a rugged ladder wedge that can be warranted for up to five years. Using this material prevented paint scrapes and gouges by doing away with wood, and painting, all together; the color is molded throughout the polyethylene wedge. In reviewing this popular standard in ladder leveling, we found that the ladders most often used today by OSP personnel have transitioned to ladders with wider feet. Because of this research, we've increased the footprint size to each ladder wedge tier to accept up to 6-1/2" wide ladder feet. The "Universal" ladder wedge has all the same great features and load capacity as the original, but has now become much more versatile.

Features:

- Supports ladders with feet up to 6.5" wide
- Prevent Accidents
- Available in Safety Yellow and High Visibility Orange
- Positive Footing
- Extremely Rugged
- Anti-Skid
- Adjustable
- Metal or Rubber Cleats

The Ladder Wedge is used when a ladder must be put against a building, cable, or pole, and one leg does not touch the ground firmly, thus creating an unsafe climbing condition. The Ladder Wedge is placed under the unlevel foot to make the ladder steady.

The U-TECK Ladder Wedge is also needed on soft ground to prevent earth movement, which can cause the ladder foot to move while the user is climbing.

The Ladder Wedge was put through rigorous testing by an outside testing facility. Their material analysis report concluded that no visible evidence of any deformation or failure of the wedge was noted at our specified 375 lb. minimum load or at their standard 396 lb. load test stop point.

U-TECK™
Your Safety... Our Solutions.
159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

Ordering Information

Description:	Product #:
Universal Yellow Ladder Wedge – Metal Cleats	55429P-M
Universal Yellow Ladder Wedge – Rubber Cleats	55429P-R
Universal Orange Ladder Wedge – Metal Cleats	55429-POr-M
Universal Orange Ladder Wedge – Rubber Cleats	55429-POr-R

RUNG RUNNER LADDER CADDY

U-TECK introduces the Rung Runner™, the easiest way to carry and transport heavy extension ladders from vehicle to job site. Using a universal tether, you can now carry any type of ladder, including large extension ladders with solid rails.

Features:

- Can be used with any style of ladder
- Reduces worker fatigue
- Helps prevent back strains and injury
- Decreases property damage
- Increases single-worker productivity
- Fast and easy assembly with most ladders
- Off-sets ladder weight for safer single-worker use

The Rung Runner™ has a unique design that enables it to cradle any type of extension ladders on their side, reducing the ladder weight by as much as 90%. This is the easiest and most stable way to carry them.

Using the new Rung Runner™, worker fatigue is virtually eliminated, off-setting the weight of the ladder, making it lighter and more easily maneuverable into tight spots such as parking lots, construction sites, and into gated fences.

Worker productivity is increased because of the ease of getting ladders to and from the work site more quickly.

The framework is constructed of lightweight polymer and stainless steel, making U-TECK's Rung Runner™ extremely tough and durable.

U-TECK™

Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

Ordering Information

Description:	Product #:	Weight:
Rung Runner™ Ladder Caddy	59501-C	12.5 LBS.

STEP RUNNER LADDER CADDY

U-TECK introduces the Step Runner™ Step Ladder Caddy , the easiest way to carry and transport heavy step ladders from vehicle to job site. Using a universal tether, you can now carry any type of step ladder.

Features:

- Can be used with any style step ladder
- Reduces worker fatigue
- Helps prevent back strains and injury
- Decreases property damage
- Increases single-worker productivity
- Fast and easy assembly
- Worry-free tires (easy to maintain)
- Off-sets ladder weight for safer single-worker use

The Step Runner™ has a unique design that enables it to cradle any type of step ladders on their side, reducing the ladder weight by as much as 90%. This is the easiest and most stable way to carry them.

Using the new Step Runner™, worker fatigue is virtually eliminated, off-setting the weight of the ladder, making it lighter and more easily maneuverable into tight spots such as parking lots, construction sites, and into gated fences.

Worker productivity is increased because of the ease of getting ladders to and from the work site more quickly, while being able to carry additional tools and equipment at the same time.

The framework is constructed of lightweight polymer and stainless steel, making U-TECK's Step Runner™ extremely tough and durable

U-TECK™

Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

Ordering Information

Description:	Product #:	Weight:
Step Runner™ Ladder Caddy	59501-STP	17 LBS.

POLE MOUNTED LADDER BRACKETS

U-TECK's Pole Mounted Ladder Bracket line is used in conditions where Distribution Cabinets, UPS Cabinets and other equipment is mounted onto utility poles and where technicians are using ladders to access them. Too often the angle of the ladder is positioned under the cabinets creating an unsafe angle for the worker to stand, open the cabinet, and perform routine functions

Features:

- Provides Correct Ladder Positioning for Techs
- Permanently attaches to poles under Cabinets
- Attachment point for Safety Harness
- Powder Coated Steel and Stainless Hardware

*Pole Attachment Hardware Not Included

U-TECK's Pole Mounted Ladder Bracket line is used in conditions where Distribution Cabinets, UPS Cabinets and other equipment is mounted onto utility poles and where technicians are using ladders to access them. Too often the angle of the ladder is positioned under the cabinets creating an unsafe angle for the worker to stand, open the cabinet, and perform routine functions.
Our Pole Mounted Ladder Bracket puts an end to that unsafe condition. Our Brackets are permanently mounted under the cabinet and adjusted to the correct depth of the cabinet. Once installed, and the ladder deployed, the cabinet can be safely opened, and work performed, providing a safe and comfortable angle to work. These Brackets can be adjusted from 21" to 27" away from the pole using 2 stainless steel through bolts. Brackets are mounted to the pole using thru-bolts (not provided). Currently available in 3 colors.

U-TECK also offers a "fixed depth" ladder bracket. This bracket comes in 18", 21" and 24". This ladder bracket has all the same features but it cannot be adjusted away from the pole. This in turn offers a more ecomonical choice if you don't need the extra function.

U-TECK™
Your Safety... Our Solutions.
159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

Ordering Information

Description:	Product #:	Weight:
Pole Mounted Ladder Bracket -Almond	55900-001	40Lbs
Pole Mounted Ladder Bracket - Green	55900-002	40Lbs
Pole Mounted Ladder Bracket - Brown	55900-003	40Lbs
Fixed Pole Mounted Ladder Bracket, fixed 18"	55905-18	31Lbs
Fixed Pole Mounted Ladder Bracket, fixed 21"	55905-21	33Lbs
Fixed Pole Mounted Ladder Bracket, fixed 24"	55905-24	34Lbs

It's as Easy as 1, 2, 3!

1. Attach Pole Mounted Ladder Brackets to the pole under cabinet at the desired height using your company procedures.

2. Slide Bracket into Base and set the correct depth and tighten using hardware provided.

3. Safely Climb Properly Secured Ladder, Tie Off Your Safety Harness, and Open Cabinet.

5G / CRAN LADDER BRACKETS



U-TECK's CRAN Ladder Bracket was built for 5G Deployment! This custom designed Ladder Bracket Provides a Safe and Sturdy Ladder Rest onto Urban Utility Poles where Centralized Radio Access Networks (CRAN) and Other Equipment are Mounted.

Features:

- Provides Correct Ladder Positioning for Techs
- Permanently attaches to poles beneath C-RAN's
- Attachment point for Safety Harness
- Powder Coated Steel and Stainless Hardware

Using the CRAN & 5G Pole Mounted Ladder Bracket means that there isn't a need for Bucket Trucks to be Dispatched for Routine Maintenance or for Quick Tasks thus Saving Time, Money, and Resources. CRAN Ladder Brackets are Permanently Mounted Beneath the Node Cabinet. Once installed, and the Ladder Correctly Deployed, the Node Cabinet can be Safely Opened, and Work Performed, providing a Safe and Comfortable Angle to Work.

*Pole Attachment Hardware Not Included

U-TECK™
Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

Ordering Information

Description:	Product #:	Weight:
5G/ C-RAN Pole Mounted Ladder Bracket	55910	24Lbs

PACK RAT LOCATORS VEST

Cans of paint. Marker flags. These are just some of the tools of your trade. Where do you put them while walking city streets or through rural neighborhoods with your locator & paint sprayer in hand, and when your work van can be blocks away? Only one vest can take on the load, and that is the U-TECK Pack-Rat™ Locator Vest!

FEATURES:

- Specifically designed for Utility Locators
- Carry up to 4 marker paint cans and 200 marking flags
- Pocket locations ensure comfortable & balanced carrying capacity
- Available in fluorescent orange-red or yellow-green
- ANSI/ISEA 107-2004 Class 2 compliant
- Multi-use safety vest• U.S. Patent: US D622036 S

Originally created with locating personnel in mind, the U-TECK Pack-Rat™ Locator Vest reduces job completion time by providing specially designed pockets and pouches for a comfortable and balanced way of carrying up to 4 spray-paint cans, over 200 marking flags, inductive clamp, test leads, can wrench, pliers, radio/cell phone, dog repellant, maps, pens, etc. Everything you need is all within reach, while the vest maintains the ANSI/ISEA 107-2004 Class 2 rating required for federal roadways.

The U-TECK Pack-Rat™ Locator Vest is a piece of safety equipment that will soon be the must-have for anyone whose work routinely puts them in dangerous traffic areas with little or no visibility. Be it the cable or utility locator, contractor, or any other trade that expects you to be on the street and have tools in reach to get the job done...and get it done quickly!

Practical by design. Balanced by necessity. Comfortable by demand.

Sizes Available: L, XL, XXL, and XXXL

U-TECK™

Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville, North Carolina 28312

(800) 542-7011 / UTECK.COM

Ordering Information

Description:	VPN:
Class 2 Standard Vest in Orange	60001
Class 2 Standard Vest in Yellow	60002Y
Class 2 Mesh Vest in Orange	60021
Class 2 Mesh Vest in Yellow	60022Y
Class 3 Breakawy Vest in Orange	60031
Class 3 Breakawy Vest in Yellow	60032Y

LADDER SAFETY

- More than 500,000 people receive emergency room treatment from ladder-related injuries every year.
- More than 300 of these falls end up being fatal.
- OSHA believes 100% of all ladder accidents could be prevented if proper attention to equipment and climber training were provided.

Whether you are painting the house, cleaning leaves or pine needles out of the gutters, or performing a myriad of other chores around your home, at some point in time you will probably need to use either an extension ladder or step ladder. When used properly, ladders can make the work a whole lot easier. But, the US Consumer Product Safety Commission estimates that about 500,000 people each year visit the emergency room as a result of ladder accidents. It is also estimated that about 300 people die each year from ladder related accidents. Please follow these safety tips so that you are not the victim of a ladder accident. Inspect your ladder for safety defects before you use it. Why take unnecessary risks, don't use any ladder that is unsafe. If you have a wooden extension ladder: Check the rungs and side rails for rot, cracks, slivers, loose side rails, and broken rungs. Make sure there are no loose nails, rivets, joints or bolts. If you have a metal extension ladder: Check the rungs and side rails for burrs, sharp edges, loose joints, rivets or bolts, cracks, bent, broken, or loose rungs. Note: Never use a metal ladder when close to electric power. If you have a fiber glass extension ladder: Check the side rails for chips, cracks, excessive denting, or gouges. Check for bent, broken, or loose rungs. For all extension ladders, check the raise/lower rope for excessive wear, cuts, or rot. Check the rope pulley for rust and freedom of movement (oil or lubricate if necessary). Ensure that the ladder locks or dogs are operating properly (oil or lubricate if necessary) and fully engage the rungs. For stepladders, check for loose hardware, broken or loose spreaders, and loose or bent hinges. Check for cracked, broken, or worn steps. Set up and use your ladder safely!

U-TECK™
Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

CABLE & WIRE STORAGE BOX

U-TECK has come up with a practical solution to the problem of storing and transporting drop wire, station wire, and aerial drop wire shipping boxes. Usually, these shipping boxes are out in the weather, getting wet, and disintegrating, making it more difficult to use them as they were intended. Also, theft of copper wire has become an ever increasing problem.

FEATURES:

- Two cable guides for easy payout
- Constructed from rustproof high density plastic
- Keeps contents dry in harsh conditions
- Measures 37” wide x 21” deep x 20” high
- Recessed soft grip handles
- Theft resistant key lock with 2 keys
- For added security, two padlocks can be added

U-TECK has developed a Cable and Wire Storage Box that fits neatly in the back of service trucks and vans, keeping these boxes of wire and cable dry, safe and secure.

Additionally, there are two cable guides on the front of the storage box so cable can be pulled from the inner boxes without having to unlock it. Each box is made from tough, high density, structural plastic, which will withstand the harshest elements.

With a soft-feel, recessed handle on each end and a keyed lock your cable, wire, and other contents are going to remain safe and ready when you need them.

U-TECK™
Your Safety... Our Solutions.
159 Rock Hill Rd, Fayetteville,
North Carolina 28312
(800) 542-7011 / UTECK.COM

Ordering Information

Description:	VPN:	Packaging:
Cable & Wire Storage Box Size: 37” L x 21” W x 20” H	59100	1EA

REEL DEAL CABLE CADDY

Storing, transporting, and using your cable reels and pull lines on-site is no longer a multi-step process. With the new U-TECK Reel-Deal™ Reel Caddy, you can do all of this with one simple tool.

FEATURES:

- Constructed from 3/4" impact resistant plastic
- High visibility safety yellow
- Quick release spindle construction for easy reel loading
- Pivoting, rubber feet and wide base prevents sliding or tipping
- Compact design perfect for storage and transport
- Made in America

Made from solid 3/4" impact resistant plastic, the Reel-Deal™ can handle the everyday wear and tear all of your equipment is subjected to, and then some. The non-fading safety yellow color gives you extra visibility. Notched handle makes for easy pick-up and go!

Most reel caddy's have wheels or simple, easy to tip steel framing. The most important feature that makes the Reel-Deal™ stand out from the rest is the stout, compact design and pivoting rubber feet that allows on-the-spot security with no slipping, no tipping, even on unlevel terrain. Holds reels with a combined weight of up to 200 lbs!

Other unique features include the quick-release spindle construction for easy reel loading from either side, and the reel divider that allows each reel to move independently from the others. This allows you to pull cable from more than one reel – in opposite directions, at the same time!

Whether you do work for telecoms or CATV's, the Reel-Deal™ Reel Caddy is ready to go to work for you.

U-TECK™

Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville,
North Carolina 28312
(800) 542-7011 / UTECK.COM

Ordering Information

Description:	VPN:	Weight:
Safety Yellow Reel-Deal™ Reel Caddy Size: 20.5" W x 20" H x 16" D	59000	11.5 LBS

ATTIC-TRAX™
'GLOW' WALKBOARDS



U-TECK™
Your Safety... Our Solutions.

National Recycling Week
We're proud to do our part!

2,684 MILES of drink bottles end-to-end(that's a trip from Fayetteville NC to Barstow CA y'all!)

We want to hear from YOU!

Please take a moment to write an honest review for a chance to win a $20 U-TECK Credit towards any purchase!

U-TECK™
Your Safety... Our Solutions.
www.UTECK.com

U-TECK™
Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

REEL DEAL SINGLE LINE PULL CADDY

Pull tape & pull line products are used to help expedite cable installation. Also, pull tapes are often used once and discarded. But with U-TECK's Reel-DealTM , you can now easily reel out the pull line then re-spool it, allowing you to re-use it again and again. Storing, transporting and using your pull line on site just got easier and more efficient. With the new U-TECK Reel-DealTM Single Pull Line Caddy, you can do all of this with one simple tool.

FEATURES:

- Constructed from 3/4" impact resistant plastic
- High visibility safety yellow
- Quick release spindle construction for easy reel loading
- Pivoting, rubber feet and wide base prevents sliding or tipping
- Compact design perfect for storage and transport
- Made in America

Made from solid 3/4" impact resistant plastic, the Reel-DealTM can handle the everyday wear and tear all of your equipment is subjected to, and then some. The non-fading safety yellow color gives you extra visibility. A notched handle makes for easy pick-up and go!

Most reel caddy's have wheels or lightweight, easy to tip steel framing. Of all the features offered by the Reel-DealTM, the most important is the stout, compact design and pivoting rubber feet that allows on-the-spot security with no slipping, no tipping, even on unlevel terrain. Another unique feature includes the quick-release spindle construction for easy pull line loading. The Reel-DealTM holds reels of up to 200 lbs!.

Whether you do work for telecoms or CATV's, the Reel-DealTM Single Pull Line Caddy is ready to go to work for you.

U-TECK™
Your Safety... Our Solutions.
159 Rock Hill Rd, Fayetteville,
North Carolina 28312
(800) 542-7011 / UTECK.COM

Ordering Information

Description:	VPN:	Weight:
Safety Yellow Reel-DealTM Single Size: 14-1/2" L x 18" W x 23" H	59011	11.25 LBS

FIBER DROP CADDY

Are you or your Techs having a difficult time walking out Fiber Drops? Are your longer drop lines difficult to manage because they tend to 'spring' back? Introducing the solution to your problems! The ALL NEW Fiber Drop Caddy!

Features:

- Fiber coil easily attaches to caddy with just ONE carabiner!
- Can handle up to 1500' fiber drops!
- Lightweight
- Easy to Store

An empty caddy weighs 22lbs and weighs 45lbs holding a 1000’ drop.

The weight keeps the caddy stable and in place while paying out fiber drop.

This caddy can also be used to pay out fiber coils, wire, or pull tape, that are already on a core with a 1.25” inside diameter by using the spindle only.

Easy to Use!

View Instructions Here: https://www.youtube.com/watch?v=RCFHBjG6rRM

U-TECK™
Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville,
North Carolina 28312
(800) 542-7011 / UTECK.COM

Ordering Information

Item Description:	VPN:	MID:
FIBER DROP CADDY	59016	11381531

BIG BUDDY HEATER

This patented radiant 4,000-18,000 BTU Liquid Propane heater is the perfect solution for heating up to 450 sq. ft. An integrated fan increases the heating capacity of this unit, blending radiant and convection style heat to give you the best of both worlds.

FEATURES:

- Ideal for use in the Vent Tent (MID: 11351571)
- 4,000, 9,000, or 18,000 BTU per hour
- For use with propane gas
- Heats up to 450 sq. ft.
- Single control start knob
- Hi-Med-Low heat settings
- Swivel regulators
- Automatic low oxygen shut-off system (ODS)
- Accidental tip-over safety shut-off
- Connects to a 20 lb. cylinder with optional hose
- Fan operates on 4 D batteries

Two internal swivel regulators give you the ability to adapt usage from disposable cylinders to a remote gas supply with the purchase of a single hose and filter. (see below) To light the unit, simply push and rotate the knob. The built in Piezo sparking mechanism will take care of the rest. With the Oxygen Depletion Sensor (ODS) and accidental tip-over safety shut-off, you can be sure that you will enjoy years of comfortable outdoor safe heat.

Ordering Information

PRODUCT:	PRODUCT #:
Big Buddy Portable Heater Kit (includes Heater, Hose and Filter)	38000
Big Buddy Heater (only)	38005
12 FT. Propane Hose Assembly	38010
Universal Fuel Filter	38015

U-TECK™
Your Safety... Our Solutions.
159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

BUCKET HEATER

The Bucket Heater was designed with special features needed for use in elevated buckets.

FEATURES:

- Solid Steel Construction
- Power 800w Reduced to 300w
- Inrush 13 Amps Reduced to 3 Amps
- BTU: 5200
- Voltage: 110 - 120
- Size: 6" x 5" x 5"
- Weather Resistant

A front louver face panel protects the heating element from being damaged by wire cuttings, tools, etc., while protecting the user from coming into contact with heating surface. The cord and heavy duty metal cabinet remain cool during long periods of operation. The Bucket Heater promotes safety first with waterproof cord grommets and rubber covered switch handles, no dangerous flames, no combustible fuel or burning coils. The heaters have an optional electric shut off if tipped in any direction, making these the safest heating units available for any work area. Three prong electric plug and heavy duty cord meet OSHA standards for this type of heater.

U-TECK™
Your Safety... Our Solutions.
159 Rock Hill Rd, Fayetteville,
North Carolina 28312
(800) 542-7011 / UTECK.COM

Ordering Information

Description:	Product #:
Bucket Heater	38020

DIELECTRIC UMBRELLA

U-TECK's line of dielectrically safe fiberglass umbrellas provides a variety of options for protection from the elements, rain or shine.

Features:

- High-visibility, heavy duty yellow umbrella with top air vents
- Fiberglass extension pole and skeleton
- Comes complete with adjustable tripod
- Offered with straight pole or with our exclusive Sturdy-Tilt locking hinge

Our exclusive Sturdy-Tilt option with locking hinge allows the user to adjust the angle of cover for shade from damaging ultraviolet rays or from driving rain. We've also moved the tilt higher up the pole, to off-set the weight, making the umbrella more sturdy

The optional window in the covering of the umbrella incorporates a piece of transparent plastic, which allows the worker to see obstacles or hazards that may be above the umbrella.

Each umbrella is constructed of materials that make it durable enough for use in high winds or
harsh weather yet light enough to be used on mowers, tractors, etc.

For safety, our umbrellas have a hardened fiberglass composite extension pole so that no metal-to-metal contact can be made. The Dielectric Umbrella comes standard with an adjustable tripod stand with three anchor stakes. Carrying bags for handling or storage are also available.

U-TECK™
Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville,
North Carolina 28312
(800) 542-7011 / UTECK.COM

Product:	Description:	Product #:
Non-tilt Umbrella W/ Window	7 1/2 ft. wide W/ Fixed fiberglass pole. adj. stand W/ 3 anchor stakes & 18 in. clear window	73075CY
Non-tilt Solid Umbrella	7 1/2 ft. wide W/ Fixed fiberglass pole, adj. stand W/ 3 anchor stakes & solid cover	73075Y
Tilt Umbrella W/ Window	7 1/2 ft. wide W/ tilt fiberglass pole, adj. stand W/ 3 anchor stakes & 18 in. clear window	73075CYT
Tilt Solid Umbrella	7 1/2 ft. wide W/ tilt fiberglass composite pole, adj. stand W/ 3 anchor stakes & solid cover	73075YT

WORK UMBRELLA

U-TECK's line of umbrellas provides an economical method of protection from the elements, rain or shine. Unique tilt-top feature allows user to shade themselves from ultraviolet sun rays any hour of the day.

Features:

- Heavy-duty construction
- Reinforced vinyl canopy
- 3-position tilt optional
- Optional carrying case
- Aluminum/hardwood poles
- Pointed poles for easy set-up

Strong enough yet light enough to be used on mowers, tractors, etc.

For safety purposes, our umbrellas have a hardwood extension pole so no metal-to-metal contact with underground utilities can be made.

Our carrying bags are also unique in that each one has a separate pocket for the umbrella extension. This eliminates damage due to improper insertion of the umbrella.

We also offer two additional accessories as options for securing your work umbrella, the suction mount and the adjustable tripod stand. Both give you more freedom when placing your umbrella on the job, whether you are working next to cabinets or on hard surfaces.

Suction Mount

Adjustable Tripod Stand

U-TECK™
Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville,
North Carolina 28312
(800) 542-7011 / UTECK.COM

Ordering Information

Description	Product Number	Packaging	Weight
5½' Non-tilt umbrella	73005	1 each	6.5 lbs.
6' Non-tilt umbrella	73006	1 each	6.75 lbs.
7' Non-tilt umbrella	73007	1 each	9.5 lbs.
5½' Tilt umbrella	73005-T	1 each	7.5 lbs.
6' Tilt umbrella	73006-T	1 each	6.75 lbs.

BEST SELLERS!

U-TECK™

Your Safety... Our Solutions.

Call for your Quote Today! 1-800-542-7011

Universal Ladder Wedge

Fire Retardant Backboards

Rung Runner Ladder Caddy

Pole Mounted Ladder Brackets

P-Seat 'Butt Box'

Attic-Trax Walkboards

Safe-T Lids & Versa Lids

Fiber Optic Splicing Work Station

www.UTECK.com / 1-800-542-7011

BURIED CLOSURE PROTECTIVE HOUSING

The Safe Way to Protect Your Pressurized Closures from Ghost Leaks and your Filled Closures from Damage! Pressurized Closure: The buried closure protective housing (closure coffin) is designed to protect your pressurized closure from the weight of the back-fill, as well as from the added weight of vehicles that run over the splice location causing costly "Ghost Leaks".

FEATURES:

- Simple to install
- No special tools required
- Durable
- Convenient
- Few piece parts
- Re-enterable
- Chemical-resistant
- Cost-effective
- High-impact plastic
- Environmentally safe



All pressure crews are very familiar with this problem: The weight of the dirt and road vibrations can cause the closure to become disfigured around the end plate, causing a small leak to occur.

When the dirt is removed the closure recovers and the leak goes away. This is why it is called a ghost leak. Also, if cables are not secured and protected where they entered a drilled plate, a ghost leak might occur. The Buried Closure Protective Housing can eliminate this.

Non-Pressurized: Even here, the closure can suffer damage from the weight of the dirt. We have come to realize that the re-enterable compounds do not provide the strength needed to withstand the weight. The Closure Coffin does. Also, in rocky areas, the sharp rocks can penetrate and deform many closures, allowing water to enter or causing damage from compression. Before the development of the Buried Closure Protective Housing, companies were using creosote- covered boards or other treated lumber, which decays, and sand or split pipe, which requires an excessive amount of labor.

Now, with the Buried Closure Protective Housing, you have a uniform method to assure your company that the closure will be protected for the life of the cable.

U-TECK™
Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville,
North Carolina 28312
(800) 542-7011 / UTECK.COM

DIMENSIONS



Product 57431 Series



Product 55431 Series



Product 53431 Series



Product 51431 Series

ORDERING INFORMATION

Product Lengths
AB 38" CD 51" EF 59 GH 68 IJ 76 KL 85

Product #	WT/LBs	Product #	WT/LBs	Product #	WT/LBs	Product #	WT/LBs
57431 AB	49	55431 AB	40	53431 AB	34	51431 AB	28
57431 CD	66	55431 CD	54	53431 CD	45	51431 CD	37
57431 EF	76	55431 EF	62	53431 EF	52	51431 EF	43
57431 GH	88	55431 GH	72	53431 GH	60	51431 GH	50
57431 IJ	98	55431 IJ	80	53431 IJ	67	51431 IJ	55
57431 KL	110	55431 KL	89	53431 KL	75	51431 KL	62

Custom sizes are available upon request.

Note: For classification, the products will fit the type of closure in parenthesis: 57431 = (E0), 53431 = (C), 51431 = (A or B). For other closures, compare outside dimensions of the closure to inside dimensions of Buried Closure Protective Housing.

TEST RESULTS

Property	Unit	ASTM Test No.	Results
Tensile strength	PSI	D-638	7500
Elongation at yield	%	D-638	3.0
Modules of elasticity in tension	PSI	D-638	4.11×10^4
Flexural strength	PSI	D-790	12,800
Modules of elasticity in flexure	PSI	D-790	4.81×10^4
Impact izod	FT/LBs	D-256	8/1.5
Hardness rockwell "R"	R	D-785	115
Hardness shore "D"	D	D-2240	89
Compression strength	PSI	D-895	10,000
Sheer strength	PSI	D-732	7,550
Thermal conductivity	BTU/HR/FT^2/F/IN		1.16
Water absorption		D-570	.12

SEALGUARD II KIT

FEATURES:

- Designed for high inflows in precast or brick-lined structures
- Stops leaks of up to 50 GPM
- Can be injected into flowing water with a reaction time of 3 seconds
- Dual-component polyurethane grout
- Permanent fix
- 45 PSI compressive strength
- Each set of grout contains one cubic foot of cured material that will not shrink

Repair Options

- Excavate and replace? – Very Expensive
- Reline with cements or elastomers? – Expensive, and the problem area must be dry
- Grout with cements? – Nothing more than a temporary patch
- Repair with chemical grouts? – Will wash out if the flow rate exceeds 1 to 2 GPM

None of these options will stop leaks of up to 50 GPM in seconds!

One manhole leaking 5 GPM will leak 7,200 gallons per day! If the cost of treating wastewater is $1.70 per thousand gallons, then this single manhole with a 5 GPM leak costs $4,467 per year. That is $4,467 per year forever.

The savings in wastewater treatment fees in the first year for a single manhole with a minor leak is over $4,000.



U-TECK™
Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville,
North Carolina 28312
(800) 542-7011 / UTECK.COM

A SealGuard II Kit contains:

• Twelve sets of dual-component polyurethane grout • Twelve static mixers • Dual-component heavy-duty caulk gun • Safety goggles • Two pairs of chemical gloves • Safety clothing • Instruction sheet • MSDS sheet • Convenient waterproof carrying case • Top-notch support from SealGuard technicians

SealGuard II stretches your repair dollars!

• Each component can be reordered separately
• Larger quantities available (full and half pallets)

SealGuard II requires only these tools:

• Hammer drill; 5/8" masonry bit; Hammer; Flat-tip screwdriver; Knife; Putty knife;
• Rags, oakum or burlap

SealGuard II cleans up easily!

• Snap mixers (15 minutes after injection) with a sharp downward motion.
• Use a putty knife to scrape excess material from concrete.
• Dispose of waste foam with ordinary wood or plastic waste.

From This

To This!

In JUST 30 SECONDS!

U-TECK™
Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville,
North Carolina 28312
(800) 542-7011 / UTECK.COM

ATTIC-TRAX WALKBOARDS

Attic-Trax™ Walkboards are used to assist a technician in traversing safely through an attic space while performing functions such as wiring, equipment installations, pest control, etc. Constructed from durable composites that has beveled edges and corners, the Attic-Trax™ Walkboards feature four sturdy support rails underneath to prevent any movement once it has been put between the joists.

Features:

- 700 lb. load rating
- Made from lightweight composites
- Convenient detachable carrying handle
- Service temperature range: -4OF to 18OF
- High-visibility yellow edges for visual safety
- Works in attics with 16” or 24” OC joist spaces
- Quick-connect comfort handle for easy transport
- Two 18” x 26” work surfaces per kit

ATTIC-TRAX GLOW WALKBOARDS

With all the same great features, the all new Attic-Trax™ GLOW Walkboards come with High Quality Glow in the Dark Anti Slip Tape! Low light onditions and power outages in the workplace increase health and safety hazards, and doing your upmost to eradicate the problems that may arise can save you and your employees a lot of hardship. Our proprietary Attic-Trax™ "Glow" is manufactured using the latest technology in photo-luminescence to ensure our Walkboards are illuminated well enough for you to work safely and find your way.

The glow in the dark materials used to manufacture our Attic-Trax™ Walkboards are non-toxic, and free from any phosphorous or radioactive material. Photo-luminescent tape can take very little time to charge by absorbing artificial or natural light (recommended approx. 2 hours) by the use of photons. In a lights out situation glow in the dark tape emits a strong photo-luminescent reaction that can illuminate your path of work and travel.

Attic-Trax™ Glow meets class A classification, ASTM 2072, glowing for ~ 450 minutes.

Ordering Information

Description:	Product #:	Weight:
Attic-Trax™ Walkboard Kit (2) 18” x 26”	62028	12LBS EA. 24LB SET
Attic-Trax™'GLOW' Walk Board Kit (2) 18" X 26"	62028-G	12LBS EA. 24LB SET

U-TECK™
Your Safety... Our Solutions.
159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

WHEEL CHOCKS

U-TECK's Hardwood Wheel Chocks are made from several pieces of maple wood joined together under high pressure with waterproof glue. They are painted safety yellow with rugged, all-weather paint, sealing it from dirt, grime, and water. The galvanized hardware and handle offers long-life wear that is rust-resistant. Wheel Chocks with Steel tread offer rugged, no-skid durability with it's galvanized, 4 diamond serrated surface

FEATURES:

- Maple hardwood construction
- All galvanized metal handle, nuts, and bolts
- Galvanized 4 diamond, serrated surf, steel tread
- Steel loop carrying handle
- Fits most chock storage compartments
- Either side of wheel chock can be positioned against the tire

Hardwood Wheel Chocks



Hardwood Wheel Chocks with Steel Tread

U-TECK™
Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

Ordering Information

Description:	VPN:
Hardwood Wheel Chuck with metal handle	63001
Hardwood Wheel Chuck with Steel Tread and metal handle	63002

SAFE-T LID & VERSA LID

Designed with complete safety in mind, U-TECK's Safe-T Lid Temporary Covers provide fall-in protection while you perform various functions with a manhole or handhole lid removed. Our Safe-T Lids are lightweight, yet very strong. Constructed from environmentally stabilized, high impact resistant polyethylene, it is strong enough to support over 300 lbs. of direct weight

Features:

- Available for use with Manholes or Handholes
- Made from high impact resistant polyethylene
- Environmentally stabilized to resist fading
- Lightweight and easily stored
- Custom sizes available

Featured on both the manhole and handhole temporary covers are openings along the edge large enough to accommodate cables that extend out of the hole, and two hand openings for easy transport, placement and removal.

Often splicing crews working inside splicing trailers beside a manhole need to provide additional fall-in protection from the public as well as the crew members themselves. Additionally, both types of Safe-T Lids Covers are also a great accessory for Utility Locators, who often must connect their equipment to the cables located in an existing man or hand hole while often leaving it unattended and unprotected.

The Safe-T Lid Temporary Cover for manholes can also be ordered with a transmitter hook. This allows the transmitter to be placed under the Safe-T Lid, reducing the possibility of damage or theft when the locator isn't looking. We offer various sizes of Safe-T Lid Temporary Covers to fit the following manhole sizes: 24", 28", 32", 36", and 38". The Safe-T Lid Temporary Covers for Handholes are available to fit the two most common handhole sizes: 24" x 36" and 30" x 48".Don't see a size to meet your requirement? Contact our Customer Service to get a custom quote.

Ordering Information

Description:	Product #:	Weight:
24" diameter manhole cover	28024-Y	9 LBS
28" diameter manhole cover	28028-Y	14 LBS
32" diameter manhole cover	28032 -Y	19 LBS
36" diameter manhole cover	28036C-Y	22 LBS
38" diameter manhole cover	28038C-Y	25 LBS
24" x 36" handhole cover	282436-Y	18 LBS
30" x 48" handhole cover	283048-Y	34 LBS

U-TECK™
Your Safety... Our Solutions.
159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

CHAIN HOIST

This hoist is economical and designed for years of trouble-free use, with pulling applications ranging from 3/4 ton to 3 ton capacity. The lift ranges available are: 5' and 10' lift lengths

FEATURES:

- Simple design makes routine inspection and maintenance easy
- Steel construction with a rugged one-piece cast handle
- Freewheeling feature without load makes for quick load attachment
- Safety hooks swivel 360 degrees for easy rigging
- Induction hardened grade 80 load chain

This hoist is easy-to-use with it's one-piece cast handle and includes a completely enclosed Weston type automatic brake system for precise load spotting.

The chain is heat treated and hardened grade 80 load. The simple design makes routine inspection and maintenance easy and a freewheeling feature without load makes for quick load attachment.

The permanently lubricated gears and drop forged, swivel 360 degree, safety hooks make for easier rigging. Complies with OSHA standards and is ISO 9001 certified.

Ordering Information

Description:	VPN:
Chain Hoist 3/4 ton w/5ft lift and 11in lever	U187707
Chain Hoist 3/4 ton w/10ft lift and 11in lever	U187708
Chain Hoist 1 1/2 ton w/5ft lift and 17in lever	U187711
Chain Hoist 1 1/2 ton w/10ft lift and 17in lever	U187712
Chain Hoist 3 ton w/5ft lift and 17in lever	U187715
Chain Hoist 3 ton w/10ft lift and 17in lever	U187716
Chain Hoist 1/4 Ton Lever w/10' Lift	U181210

U-TECK™
Your Safety... Our Solutions.
159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

HANDI HOIST

U-TECK introduces the Handi-Hoist™, the easiest way to remove and replace heavy UPS batteries from aerial cabinets. The Handi-Hoist™ was designed to assist field technicians in the routine task of removing and replacing heavy UPS batteries that are often located in aerial cabinets. Traditionally this job was performed by dangerously overloading the lifting capacity of bucket trucks or were simply carried up and down ladders. Most aerial lifts or bucket trucks have a lifting capacity of just 300 lbs. When you add an average worker and a set of tools, there's not much left for heavy items. Both methods are very unsafe and often the result could be personal injury or property damage.

FEATURES:

- Attaches to any Wood, Composite, or Concrete Utility Poles
- Dual Safety Straps are quick and easy to lock down
- Non-Slip Rubber Pole Brackets are Universally Designed
- Payload Cannot Free Fall
- Rated lifting capacity of 175 lbs.Height lifting capacity of 30 feet
- Helps prevent personal injury
- Helps prevent property damage
- Folds for easy transport and storage
- Battery Sling Included

U-TECK's Handi-Hoist™ is also very useful when installing Small Cell, or DAS Sites, installing Video Cameras, Traffic Cameras, Emergency Warning Sirens, Aerial Cabinets, etc. U-TECK designed a unique aerial hoist that is easily mounted onto a utility pole using 2, heavy duty, permanently attached, cinching straps. The rubber mounting brackets attached to the hoist frame have been designed using the profile specifications of many of the most commonly used utility poles. They are also capable of supporting the load in all kinds of weather conditions.

When choosing the proper winch mechanism for the Handi-Hoist™, much consideration was taken to provide a reliable, fail-safe way to raise and lower a payload while keeping personnel and property on the ground safe. U-TECK selected a worm-drive winch for this product. This type of winch cannot accidentally go into "Free Spool" and cause injury or damage. The payload can only be raised and lowered using an ordinary cordless drill. When you want a payload raised, you first put the drill in forward, attach it to the 5/8" stud on the bottom of the winch and pull the trigger. When you want to lower the payload, put the drill in reverse and lower away. It's that easy!

U-TECK™
Your Safety... Our Solutions.
159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

Ordering Information

Description	Product Number	Dimensions	Weight
Handi-Hoist	55810	26.5" L x 13.75" W x 12.5" H	26.5 lbs

PED MAT

U-TECK has developed a herbicide-free alternative to control unwanted vegetation around pedestals. The solution is now known as WeedEnder™ Ped-Mat.

Comprised of a dense, multi-directional needling of specially formulated synthetic polyester fibers, the material is additionally impregnated with a special resin with ultraviolet inhibitors and fire resistant properties. Constructed from 100% recycled material, WeedEnder ™ increases visibility, decreases herbicide use and site maintenance, and proves to be extremely durable.

FEATURES:

- Fire-retardant
- Long-lasting 15 year warranty
- Improved visibility, reduces damage
- Easy to install
- Made from Recycled Plastic
- No Runoff
- No herbicides

While Ped-Mats increase visibility around your pedestals, it is also great for public relations by eliminating unsightly overgrown grass around pedestals or other fixtures on or next to someone's manicured lawn. You get all of these benefits without the burden of weed-eating or unsightly herbicide use.

WeedEnder™ is also available in rolls for a larger coverage area. Rolls can be from 1 ft to 8 ft wide, and up to 250 foot length. Installation is simple. Determine the size of the pedestal and cut the Ped-Mat along the appropriate perforated lines and stake in place.

U-TECK™
Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville,
North Carolina 28312
(800) 542-7011 / UTECK.COM

PED MAT SPECS

Ped-Mat 1 is die-cut and perforated to fit around most round pedestals.
Ped-Mat 2 is die-cut and perforated to fit around most square or rectangular pedestals.
Ped-Mat 3 is not die-cut and fits in those hard-to-fit areas, such as next to poles, other pedestals, or other obstructions. You cut to fit.



WeedEnder™ Rolls: Available in 3' and 6' Width X 25' length. Longer rolls are available.

Joining Strip is a 4" x 25' strip to join (splice) the WeedEnder™ rolls.

Hardened Steel General Purpose Spiral Spikes are 6" long and are designed to hold the mat in place. Packed 100/Box.

316 Stainless Steel Staples measure 1 1/4" x 5/8" and are packed 2,000 per box. These are used to join two widths of WeedEnder™ material with the joining strip.

Manual Staple Gun holds 150 stainless steel staples and is pre-set to allow staple penetration through the material for splices and repairs.

Adhesive/Caulk is specially formulated for primerless adhesion to the WeedEnder material and the metal or wooden guardrail posts (in wet or dry conditions) to inhibit weed growth.

Ordering Information

PRODUCT	COLOR	VPN	MID	QTY	WEIGHT	PRICING/UNIT
Ped-Mat 1 - 3' X 4'	Green	74001-G	00405531	10	37 lbs.	1
Ped-Mat 2 - 3' X 4'	Green	74002-G	00405536	10	37 lbs.	1
Ped-Mat 3 - 3' X 4'	Green	74003-G	87016871	10	37 lbs	1
Green Roll - 3' X 25'	Green	74203-G	87016873	1	17 lbs.	1
Green Roll - 6' X 25'	Green	74006-G	87016868	1	34 lbs.	1
Joining Strip - 4" X 25'	Green	74403-G	00464764	1	2.5 lbs.	1
Gen. Purpose Spiral Spikes	N/A	74000	00405538	100	8 lbs.	Box
316 SS Staples	N/A	74100	N/A	2,000	3.8 lbs.	Box
Manual Staple Gun	N/A	74200	N/A	1	4.4 lbs.	1
Adhesive/Caulk (tube)	Green	8ADHESIVE-W	11007787	12	10 lbs.	Case

Note: All configurations of the WeedEnder Ped-Mats and Rolls are also available in asphalt-color

U-TECK™
Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville,
North Carolina 28312
(800) 542-7011 / UTECK.COM

UTILITY POLE MAT KIT

Maintenance crew members have thousands of miles of utility lines to cover in order to maintain all non-exempt equipment. For example, one utility company states that maintenance crews are responsible for inspecting and removing flammable material within a 12' foot radius around approximately 120,000 poles and transmission structures in State Responsibility Areas. These numbers continue to increase every year as more and more people move to rural areas and new power lines are added to support new communities. That's a lot of ground to cover!

FEATURES:

- Fire-Retardant
- Prevents Vegetation Growth
- 15 Year Warranty
- Easy to Maintain
- No Herbicides
- Easily Cut To Fit Any Area

So, how do you handle the ground level vegetation? Herbicides? Lawn mowers? Weed-whackers? Raking? All of the above?

There is an easier way! We've created the WeedEnder Utility Pole Mat, a fire-retardant mat that provides vegetation control within a 12' radius around the pole.

A mat so strong and durable that it carries a 15 year warranty!

U-TECK™
Your Safety... Our Solutions.
159 Rock Hill Rd, Fayetteville,
North Carolina 28312
(800) 542-7011 / UTECK.COM

Ordering Information

Product	VPN
Utility Pole Kit (includes 70 hook stakes, 1 joining strip, and 2 adhesive tubes)	76022K-G

Got a Problem? We've Got a Solution!

We care about Your Worker Safety So Much It's in our Logo!

Do you have a Problem that needs a Solution? We can Help with that! U-TECK is dedicated to developing high-quality, innovative solutions that simplify everyday jobs in the field.

Give Us A Call Today!

www.UTECK.com / 1-800-542-7011

The Fiber Drop Caddy

- *Eliminates Fiber Coil Springback*
- *Can Handle up to 1500' fiber drops!*
- *Easy to use - NO tools required!*
- *Lightweight and Portable!*

APPROVED

Frontier COMMUNICATIONS verizon

1-800-542-7011 / www.UTECK.com / Info@uteck.com

1513 Lime
1514 Orange

Premium
Black Series®

Heavy Duty Vest

PERFORMANCE FEATURES

- Ultra-Cool™ 100% polyester mesh.
- Zipper front closure with durable webbing reinforcement.
- 2" wide high performance reflective material with 3" breathable contrasting color.
- Reflective trim around arms and piping down sides for added low light visibility.
- Black sides provide contrast and add a sporty look.
- Left and right chest mic tabs.

POCKETS

- Two lower outside cargo pockets with adjustable flaps and grommets.
- Right chest 2-tier pencil pocket.
- Left chest heavy duty gusseted radio/utility pocket with reflective piping.
- Two inside patch pockets.

SIZES: M-5X
(Size medium does not have black zipper or trim around neck and bottom - Will match garment color)

ANSI/ISEA 107 Class 2 Compliant

CNSS® REFLECTIVE MATERIAL

ML KISHIGO

Everything you need to get the job done.

Left and right chest mic tabs for quick access.

Inside: Durable webbing reinforcements for rugged wear and tear.

Heavy duty expandable cargo pockets keep work gear in place.

Breathable contrasting trim reduces hot spots.

Gusseted radio/ utility pocket with reflective piping.

Reflective trim & piping for added visibility.

Inside: Heavy duty tablet (iPad) pocket with load bearing strap.

1515 Lime
1516 Orange

High Visibility with style.

Premium **Black** Series®

Black Bottom Vest

PERFORMANCE FEATURES

- Ultra-Cool™ 100% polyester mesh with heavy duty black bottom and trim to keep vest appearance clean & professional.
- Zipper front closure with durable webbing reinforcement.
- 2" wide high performance reflective laminated material with 3" breathable contrasting color.
- Reflective trim around arms & piping down sides for added low light visibility.
- Left and right chest mic tabs.

POCKETS

- Two lower outside heavy duty expandable cargo pockets with adjustable flaps and grommets.
- Right chest 2-tier 4-division pencil pocket.
- Left chest heavy duty gusseted radio/utility pocket with reflective piping.
- Inside lower left heavy duty tablet (iPad) pocket with load-bearing strap.
- Inside lower right patch pocket.

SIZES: M-5X

ANSI/ISEA 107 Class 2 Compliant

VESTS

Class 2

1510 Lime
1511 Orange

Premium
Brilliant Series®

Heavy Duty Vest

PERFORMANCE FEATURES

- Ultra-Cool™ 100% polyester mesh.
- Brilliant Trim reflective edging improves low light visibility.
- Zipper front closure with durable webbing reinforcement.
- 2" wide CNSS reflective material with 3" breathable contrasting color.
- Left and right chest mic tabs.

POCKETS

- Two lower outside cargo pockets with grommets and adjustable flaps.
- Right chest 2-tier pencil pocket.
- Left chest radio pocket with flap.
- Two inside patch pockets.

SIZES: M-5X

ANSI/ISEA 107 Class 2 Compliant

CNSS® REFLECTIVE MATERIAL

ML KISHIGO

1163 Lime
1164 Orange

Solid Front with Mesh Back Vest

PERFORMANCE FEATURES
- Comfortable Ultra-Cool™ 100% polyester mesh material on back with solid front.
- Zipper front closure.
- 2" wide CNSS reflective material with 3" contrasting color.
- Left and right chest mic tabs.

POCKETS
- Two lower outside patch pockets with flaps.
- Right chest 2-tier, 4-division pocket.
- Left chest radio pocket with flap.
- Two lower inside patch pockets.

SIZES: M-5X

ANSI/ISEA 107 Class 2 Compliant

1195 Lime
1196 Orange

All Mesh Contrast Vest

PERFORMANCE FEATURES
- Ultra-Cool™ 100% polyester mesh.
- Zipper front closure.
- 2" wide CNSS reflective material with 3" breathable contrasting color.
- Left and right chest mic tabs.

POCKETS
- Two lower outside patch pockets with flaps.
- Right chest 2-tier pencil pocket.
- Left chest radio pocket with flap.
- Two inside patch pockets.

SIZES: M-5X

ANSI/ISEA 107 Class 2 Compliant



We're listening and delivering.

Our inspiration and innovation come from one thing—you. The best ideas for our ever-evolving product line come from the people who wear them. We're always interested in hearing what would make our products even better and use that feedback to design and manufacture work wear that makes your job easier.



U-TECK™
Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville,
North Carolina 28312
(800) 542-7011 / UTECK.COM

VESTS

Class 2

1507 Lime
1508 Orange

Economy
Brilliant Series®

3 Pocket Zipper Mesh Vest

PERFORMANCE FEATURES
- Ultra-Cool™ 100% polyester mesh.
- Brilliant Trim reflective edging improves low light visibility.
- 2" wide reflective material.
- Left chest mic tab.

POCKETS
- Left chest radio pocket.
- Inside lower left patch pocket.
- Inside right chest 2-tier, 4-division pencil pocket.

SIZES: M-5X

ANSI/ISEA 107 Class 2 Compliant

1056 Lime
1055 Orange

Contrasting Mesh Vest

PERFORMANCE FEATURES
- Ultra-Cool™ 100% polyester mesh.
- Zipper front closure.
- 2" wide CNSS reflective material with 4.5" contrasting color.
- Left chest mic tab.

POCKETS
- Inside left chest 2-tier, 4-division pencil pocket.
- Lower right inside patch pocket.

SIZES: M-5X

ANSI/ISEA 107 Class 2 Compliant

1166 Lime
1167 Orange

4 Season Adjustable Mesh Vest

PERFORMANCE FEATURES
- Ultra-Cool™ 100% polyester mesh.
- Hook & loop front closure.
- 4-season adjustability allows for accurate sizing in any weather even over bulky coats.
- Two 1" wide CNSS reflective strips with 4.5" contrasting color.
- Left chest mic tab.

POCKETS
- Outside left chest 2-tier pencil pocket.
- Inside right chest 2-tier pencil/cell pocket.
- Two inside lower patch pockets.

SIZES: M-XL, 2X-4X

ANSI/ISEA 107 Class 2 Compliant

CNSS® REFLECTIVE MATERIAL

ML KISHIGO

1085 Lime
1086 Orange

3 Pocket Zipper Mesh Vest

PERFORMANCE FEATURES
- Ultra-Cool™ 100% polyester mesh.
- Zipper front closure.
- 2" wide CNSS reflective material.
- Left chest mic tab.

POCKETS
- Outside left chest radio pocket with hook & loop tab.
- Inside right chest 2-tier, 4-division pencil pocket.
- Lower inside left patch pocket.

SIZES: M-5X

ANSI/ISEA 107 Class 2 Compliant

1083 Lime
1084 Orange

4 Pocket Hook & Loop Mesh Vest

PERFORMANCE FEATURES
- Ultra-Cool™ 100% polyester mesh.
- 4" hook & loop front closure.
- 2" wide CNSS reflective material.
- Left chest mic tab.

POCKETS
- Outside right chest 2-tier pencil pocket.
- Outside left chest patch pocket.
- Two large lower inside patch pockets.

SIZES: M-5X

ANSI/ISEA 107 Class 2 Compliant

1089 Lime
1090 Orange

Single Pocket Zipper Mesh Vest

PERFORMANCE FEATURES
- Ultra-Cool™ 100% polyester mesh.
- Zipper front closure.
- 2" wide CNSS reflective material.
- Left chest mic tab.

POCKETS
- Outside left chest pocket.

SIZES: M-5X

ANSI/ISEA 107 Class 2 Compliant

1291 Lime
1292 Orange

6 Pocket Zipper Solid Vest

PERFORMANCE FEATURES
- Lightweight 100% polyester solid material.
- Zipper front closure.
- 2" wide CNSS reflective material.
- Left chest mic tab.

POCKETS
- Two lower outside patch pockets with flap.
- Left chest radio pocket.
- Right chest 4-division pencil pocket.
- Two inside patch pockets.

SIZES: S-M, L-XL, 2X-3X, 4X-5X

ANSI/ISEA 107 Class 2 Compliant

VESTS Class 2

1517 Lime
1518 Orange

4 Pocket Contrast Mesh Vest – *Economy*

PERFORMANCE FEATURES
- 100% polyester mesh.
- Zipper front closure.
- 2" wide reflective material with 3" solid contrasting color.
- Left chest mic tab.

POCKETS
- Two lower outside patch pockets with flaps.
- Right chest 2-division pocket.
- Left chest radio pocket with hook & loop tab closure.

SIZES: S-M, L-XL, 2X-3X, 4X-5X

ANSI/ISEA 107 Class 2 Compliant

1191 Lime
1192 Orange

6 Pocket Mesh Vest – *Economy*

PERFORMANCE FEATURES
- 100% polyester mesh material with solid polyester pockets.
- Zipper front closure.
- 2" wide reflective material.
- Left chest mic tab.

POCKETS
- Two lower outside patch pockets with flaps.
- Right chest 2-division pocket.
- Left chest 4-division pocket.
- Two inside patch pockets.

SIZES: S-M, L-XL, 2X-3X, 4X-5X

ANSI/ISEA 107 Class 2 Compliant

1509 Lime
1529 Orange **NEW**

Black Bottom Mesh Vest – *Economy*

PERFORMANCE FEATURES
- Ultra-Cool™ 100% polyester mesh material.
- Solid black polyester on lower front.
- Zipper front closure.
- 2" wide reflective material.
- Left and right chest mic tabs.

POCKETS
- Two lower front solid patch pockets with flaps.
- Left chest radio pocket.
- Right chest 2-tier pocket.
- Two large lower inside pockets.

SIZES: S-M, L-XL, 2X-3X, 4X-5X

ANSI/ISEA 107 Class 2 Compliant

NEW
1527 Lime
1528 Orange

Single Pocket Contrasting Mesh Vest – *Economy*

PERFORMANCE FEATURES
- 100% polyester mesh.
- Zipper front closure.
- 2" wide reflective material with 3" contrasting color.
- Left chest mic tab.

POCKETS
- Left chest pocket.

SIZES: S-M, L-XL, 2X-3X, 4X-5X

ANSI/ISEA 107 Class 2 Compliant

1519 Lime
1520 Orange

Single Pocket Zipper Mesh Vest – *Economy*

PERFORMANCE FEATURES
- 100% polyester mesh.
- Zipper front closure.
- 2" wide reflective material.
- Left chest mic tab.

POCKETS
- Left chest pocket.

SIZES: S-M, L-XL, 2X-3X, 4X-5X

ANSI/ISEA 107 Class 2 Compliant

1193 Lime
1194 Orange

Single Pocket Hook & Loop Mesh Vest – *Economy*

PERFORMANCE FEATURES
- 100% polyester mesh material.
- 4" hook & loop front closure.
- 2" wide reflective material.
- Left chest mic tab.

POCKETS
- Left chest pocket.

SIZES: S-M, L-XL, 2X-3X, 4X-5X

ANSI/ISEA 107 Class 2 Compliant

ML KISHIGO

1076 Lime
1077 Orange

Reflexite® All Mesh Vest

PERFORMANCE FEATURES
- Ultra-Cool™ 100% polyester mesh.
- Zipper front closure.
- 2" wide Reflexite® reflective material.
- Left and right chest mic tabs.

POCKETS
- Outside left chest 2-tier, 4-division pencil pocket.
- Inside lower right patch pocket.

SIZES: S-5X - Small only available in orange.

ANSI/ISEA 107 Class 2 Compliant

1208A Lime
1207A Orange

Reflexite® Solid Front with Mesh Back Vest

PERFORMANCE FEATURES
- Comfortable Ultra-Cool™ 100% polyester mesh material on back with solid front.
- Zipper front closure.
- 2" wide Reflexite® reflective material.
- Left and right chest mic tabs.

POCKETS
- Two lower outside patch pockets with flaps.
- Left chest radio pocket.
- Right chest 4-division pencil pocket.
- Two inside patch pockets.

SIZES: S-5X - Small only available in orange.

ANSI/ISEA 107 Class 2 Compliant

Choose the right material for the right job.

Prismatic ~ Wet conditions

This material reflects back color and utilizes thousands of micro-prisms that are covered by a transparent film. Due to this protective layer, it performs exceptionally well in wet conditions and resists abrasion compared to glass bead.

Glass Bead ~ Warm conditions

Silver glass bead material is made of microscopic glass beads adhered to fabric, which creates a more flexible and lightweight reflective option. While ideal in many environments, especially warm ones, its largest drawback is that it loses reflectivity when wet and can abrade in rough environments.

Your garment's reflective material should stand out from the work environment.

Reflexite® is a trademark of Orafol Europe GmbH

Reflexite®

VESTS

Class 3

Meets ANSI standards, surpasses yours.

1550 & 1242

Premium **Brilliant Series®**

1550 Lime
1551 Orange

Heavy Duty Vest

PERFORMANCE FEATURES

- Ultra-Cool™ 100% polyester mesh with solid pockets.
- Brilliant Trim reflective edging improves low light visibility.
- Zipper front closure with durable webbing reinforcement.
- 2" wide CNSS reflective material with 3" Ultra-Cool™ contrasting mesh.
- Left and right chest mic tabs.
- Two lapel grommets.

POCKETS

- Outside right chest 2-tier, 4-division pocket.
- Outside left chest multi-use cell pocket.
- Inside lower patch pockets.
- Two lower outside cargo pockets with flaps and grommets.

SIZES: M-5X

ANSI/ISEA 107 Class 3 Compliant

1242 Lime
1243 Orange

6 Pocket Contrast Mesh Vest

PERFORMANCE FEATURES

- Ultra-Cool™ 100% polyester mesh with solid pockets.
- Zipper front closure.
- 2" wide reflective material with 3" contrasting mesh.
- Left chest mic tab.

POCKETS

- Outside left chest radio pocket.
- Outside right chest 2-tier, 3-division pocket.
- Inside lower patch pockets.
- Two lower outside solid material patch pockets with flaps.

SIZES: M-5X

ANSI/ISEA 107 Class 3 Compliant

1201A Lime
1202A Orange

Reflexite® Mesh Vest

PERFORMANCE FEATURES
- Ultra-Cool™ 100% polyester mesh with solid pockets.
- 6" hook & loop front closure.
- 2" wide Reflexite® reflective material.
- Left and right chest mic tabs.

POCKETS
- Outside left chest 2-tier pocket.
- Outside right chest multi-use cell pocket.
- Inside lower patch pockets.
- Two lower outside patch pockets with flaps.

SIZES: S-5X - Small only available in orange.

ANSI/ISEA 107 Class 3 Compliant

1264 Lime
1265 Orange

All Mesh Vest – *Economy*

PERFORMANCE FEATURES
- Ultra-Cool™ 100% polyester mesh.
- Zipper front closure.
- 2" wide reflective material.
- Left chest mic tab.

POCKETS
- Outside left chest radio pocket.
- Inside lower right patch pocket.
- Inside right chest pocket.

SIZES: M-5X

ANSI/ISEA 107 Class 3 Compliant

Reflexite®

VESTS



- Breakaway shoulders, sides, and front closure for safety.
- Durable webbing reinforcements for tough wear & tear.
- Quick access 2-tier divided pocket and left chest multi-use/ cell pocket.
- Cargo pockets with flaps and grommets for tools.
- Brilliant Series reflective trim for visibility in low light conditions.

1552B Lime
1553B Orange

Premium **Brilliant Series®**

Breakaway Class 3 Ves

PERFORMANCE FEATURES

- Ultra-Cool™ 100% polyester mesh material.
- Brilliant Trim reflective edging improves low light visibility.
- Hook & loop front closure with durable webbing reinforcement.
- 5-Point breakaway on shoulders, sides, and front closure.
- 2" wide CNSS material on 3" contrasting color.
- Left and right chest mic tabs.
- Two lapel grommets.

POCKETS

- Outside right chest 2-tier 4-division pocket.
- Outside left chest multi-use cell pocket.
- Inside lower patch pockets.
- Two lower outside cargo pockets with adjustable flaps and grommets.

SIZES: M-5X

ANSI/ISEA 107 Class 3 Compliant

Designed with you in mind.

When you're on the job, you can't control everything around you. From broken machines to drivers that come a little too close, a job site can be a dangerous place. That's why we created a line that's designed to break away when pulled. You'll lose a panel, but keep so much more.

CNSS® REFLECTIVE MATERIAL

U-TECK™
Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville,
North Carolina 28312
(800) 542-7011 / UTECK.COM

1174 Lime
1176 Orange

Contrasting Mesh Breakaway Vest

PERFORMANCE FEATURES
- Ultra-Cool™ 100% polyester mesh.
- Hook & loop breakaway shoulders, sides & front closure.
- 2" wide CNSS reflective material with 4.5" contrasting color.
- Left chest mic tab.

POCKETS
- Inside left chest 2-tier, 4-division pencil pocket.
- Inside lower left patch pocket.
- Inside right chest cell phone pocket.

SIZES: M-5X

ANSI/ISEA 107 Class 2 Compliant

1166BA Lime
1167BA Orange

4 Season Breakaway Vest

PERFORMANCE FEATURES
- Ultra-Cool™ 100% polyester mesh.
- 4-season adjustability for accurate sizing in any weather even over bulky coats.
- 5-point breakaway.
- Hook & loop front closure.
- Two 1" wide CNSS reflective stripes with 4.5" contrasting color.
- Left chest mic tab.

POCKETS
- Inside right chest 2-tier pencil/cell pocket.
- Two inside lower patch pockets.
- Outside left chest 2-tier pencil pocket.

SIZES: M-XL, 2X-4X

ANSI/ISEA 107 Class 2 Compliant

1505B Lime
1506B Orange

Premium Brilliant Series® Breakaway Vest

PERFORMANCE FEATURES
- Ultra-Cool™ 100% polyester mesh.
- Brilliant Trim reflective edging improves low light visibility.
- 5-point breakaway with breakaway sides, shoulders and front closure.
- 2" wide CNSS reflective material.
- Left chest mic tab.

POCKETS
- Left chest radio pocket.
- Inside lower left patch pocket.
- Inside right chest 2-tier, 4-division pencil pocket.

SIZES: M-5X

ANSI/ISEA 107 Class 2 Compliant

VESTS

Specialty

Where innovation meets demand.



Premium Brilliant Series
featuring extra reflective trim.

MOSSY OAK. BREAK-UP INFINITY

1523 Lime
1524 Orange **NEW**

Premium Brilliant Series®

Heavy Duty Vest

PERFORMANCE FEATURES

- Ultra-Cool™ 100% polyester mesh material with Mossy Oak® Break-Up Infinity bottom & trim to keep vest appearance clean & sporty.
- Zipper front closure with durable webbing reinforcement.
- 2" wide breathable reflective material greatly reduces hot spots.
- Reflective piping down sides for added low light visibility.
- Left chest mic tab.

POCKETS

- Two lower outside expandable cargo pockets with flaps.
- Right chest 2-tier, 4-division pocket.
- Left chest gusseted radio/utility pocket with reflective piping.
- Inside lower left heavy duty tablet (iPad) pocket with load-bearing strap.

SIZES: M-5X

ANSI/ISEA 107 Class 2 Compliant

Official Licensed Product of Haas Outdoors, Inc., West Point, MS 39773.
Produced by ML Kishigo

ML KISHIGO

1521 Lime

Premium Brilliant Series®

Ladies Fitted Vest

PERFORMANCE FEATURES
- Ultra-Cool™ 100% polyester mesh back and sides with lightweight solid front.
- Zipper front closure.
- 2" wide CNSS reflective material.
- Reflective trim around arms & piping down sides for added low light visibility.
- Waist cinches to ensure a perfect fit.

POCKETS
- Two hidden lower outside slash pockets with zipper closures.
- Inside ergonomically positioned lower left radio pocket with flap.

LADIES SIZES: S, M, L, XL

ANSI/ISEA 107 Class 2 Compliant

NEW
1525 Lime
1526 Orange

Ladies Mesh Vest – *Economy*

PERFORMANCE FEATURES
- Ultra-Cool™ 100% polyester mesh.
- Zipper front closure.
- 2" wide reflective material.
- Reflective trim around arms for better visibility in low light conditions.
- Cinched sides to ensure a perfect fit.

POCKETS
- Two lower patch slash pockets.
- Inside lower left radio pocket.

LADIES SIZES: S, M, L, XL

ANSI/ISEA 107 Class 2 Compliant

VESTS **Specialty**

Uniquely designed with unparalleled durability.

Reinforced bias trim and padded collar for comfort.

2-tier left pocket can be held up open for quick access.

Inside: Left & right full length zipper pockets for equipment storage.

Left and right paint can pockets with elastic hold downs.

Inside: Heavy duty tablet (iPad) pocket with load bearing strap.

Grommets for flagging tape.

Reflective piping on back for enhanced low light visibility.

Back pouch for maps and instruments.

NEW
S5002 Lime
S5003 Orange

Premium **Black Series®**

Surveyors Vest

PERFORMANCE FEATURES
- Solid polyester front with mesh back.
- Heavy duty black bottom and trim to help keep a clean appearance.
- Zipper front closure reinforced with durable webbing.
- 2" wide CNSS reflective material laminated to 3" contrasting color.
- Left and right mic tabs.
- 2 lapel grommets.
- Padded neck for comfort.

POCKETS
- Left chest 2-tier pocket with dual function flap that can be held open by hook & loop.
- Large right gusseted pocket with flap.
- Outside lower front pockets with flaps, left and right stake pockets, left and right elastic spray paint can pockets.
- Lower inside right full length zipper pocket with load bearing strap.
- Lower inside left tablet (iPad) pocket with load bearing strap.
- Hidden back pouch with left and right zipper access.

SIZES: M-5X
(Size medium does not have black trim around arms - Will match garment color).

ANSI/ISEA 107 Class 2 Compliant

CNSS® REFLECTIVE MATERIAL

Front pockets

Back pouch

Inside pocket

ML KISHIGO

S5000 Lime
S5001 Orange

Class 2:
Professional Surveyors Vest

PERFORMANCE FEATURES
- Solid polyester front with mesh back.
- Zipper front closure reinforced with durable webbing.
- 2" wide CNSS reflective material laminated to 3" contrasting color.
- Left and right mic tabs.
- 2 lapel grommets.
- Padded neck for comfort.

POCKETS
- Left chest 2-tier pocket with dual function flap that can be held open by hook & loop.
- Large right gusseted pocket with flap.
- Outside lower front pockets with flaps, left and right stake pockets, left and right elastic spray paint can pockets.
- Lower inside left and right full length zipper pockets with load bearing straps.
- Hidden back pouch with left and right zipper access.

SIZES: M-5X

ANSI/ISEA 107 Class 2 Compliant



S5010 Lime
S5011 Orange

Class 3:
Professional Surveyors Vest

PERFORMANCE FEATURES
- Solid polyester front with mesh back.
- Zipper front closure reinforced with durable webbing.
- 2" wide CNSS reflective material laminated to 3" contrasting color.
- Left and right mic tabs.
- 2 lapel grommets.
- Padded neck for comfort.

POCKETS
- Same pocket configuration as the Professional Class 2 Surveyors Vest (S5000/S5001) shown above.

SIZES: M-5X

ANSI/ISEA 107 Class 3 Compliant

VESTS

Specialty



T341 Lime

Fall Protection Vest

PERFORMANCE FEATURES

- Durable 100% polyester solid front & Ultra-Cool™ mesh back.
- Snap front closure.
- 2" wide CNSS reflective material on 3" contrasting color.
- Back and side openings for harness rings.
- Left and right chest mic tabs.

POCKETS

- Left chest radio pocket with flap.
- Right chest 2-tier pencil pocket.
- Two lower front expandable-flap closure pockets.
- Two lower inside patch pockets.

SIZES: S-M, L-XL, 2X-3X, 4X-5X

ANSI/ISEA 107 Class 2 Compliant

CNSS® REFLECTIVE MATERIAL

We've got you covered & tethered.

Working with fall protection manufacturers we developed a functional vest that integrates easy donning, visual inspection of harness, and secure access to D-Rings while maintaining the high visibility your workers need to meet the ANSI standard.

N Series Mesh Vest

PERFORMANCE FEATURES

- High quality polyester mesh.
- Comfortable cotton trim.
- Three 5/8" wide reflective stripes with 2" contrasting material on back and two on front (N-A1 & NL-A2).
- 3" hook and loop front closure.
- 3/4" elastic side closures for universal sizing.

ONE SIZE FITS MOST

Not ANSI/ISEA Compliant

T Series Mesh Vest



PERFORMANCE FEATURES

- Tightly woven mesh.
- Comfortable cotton trim.
- 1" wide reflective stripes (T-V17 & TL-V18).
- 3" hook and loop front closure.
- 3/4" elastic side closures for universal sizing.

ONE SIZE FITS MOST

Not ANSI/ISEA Compliant



P Series Mesh Vest

PERFORMANCE FEATURES

- Comfortable cotton trim.
- 1" wide reflective stripes (Excluding P & PL).
- 1/2" wide reflective stripes with contrasting material (P-V21 & PL-V22).
- 3" hook and loop front closure.
- 3/4" elastic side closures for universal sizing.

ONE SIZE FITS MOST

Not ANSI/ISEA Compliant

1092 Lime
1091 Orange

Multi-pocket Surveyors Vest – *Economy*

PERFORMANCE FEATURES

- 100% polyester.
- Zipper front closure.
- 1" wide reflective stripes with 2" wide contrasting material.

POCKETS

- Two lower outside patch pockets with flaps.
- Two outside chest pencil pockets.
- Two inside patch pockets.

SIZES: M-5X

Not ANSI/ISEA Compliant

PANTS

Class E

Premium
Brilliant Series®

Mesh Pants

PERFORMANCE FEATURES

- Ultra-Cool™ 100% polyester mesh.
- Brilliant Trim reflective edging considerably improves low light visibility.
- Hook & loop fly with adjustable sides and elastic back.
- 2" wide reflective material with 3" contrasting color.
- Elastic bottom cuff with zipper for boot access.
- Black bottom to help keep a clean appearance.

POCKETS

- Heavy duty solid left and right cargo pockets with reflective piping.
- Left and right side pocket access slits.

SIZES:

S-M Waist - Up to 48" | Inseam - 29"
L-XL Waist - Up to 54" | Inseam - 32"
2X-4X Waist - Up to 66" | Inseam - 34"

ANSI/ISEA 107 Class E Compliant

3118 Lime
3119 Orange

3118

ML KISHIGO

3107 3108 3113 3112 3116 3117

Mesh Pants

PERFORMANCE FEATURES
- Ultra-Cool™ 100% polyester mesh.
- Drawstring waist with elastic back.
- Elastic bottom cuffs
- 3116 & 3117 have zipper cuff for boot access.
- 2" wide reflective material.
- 2" wide Reflexite® prismatic reflective material on 3112 & 3113.

POCKETS
- Left and right side pocket access slits.

SIZES:
S-M Waist - Up to 48" | Inseam - 29"
L-XL Waist - Up to 54" | Inseam - 32"
2X-4X Waist - Up to 66" | Inseam - 34"

ANSI/ISEA 107 Class E Compliant

How to make your Class 3 ensemble.

Class 2 + Class E = Class 3

3930 Lime
3931 Orange

Mesh Gaitors

PERFORMANCE FEATURES
- Ultra-Cool™ 100% polyester mesh.
- Two 2" wide reflective stripes encircle the gaiter.
- Adjustable hook & loop closure.

NEW
3932 Lime
3933 Orange

Premium Black Series®

Mesh Gaitors

PERFORMANCE FEATURES
- Ultra-Cool™ 100% polyester mesh.
- 2" wide reflective material with contrasting mesh.
- Zipper closure with hook and loop adjustable bottom for easy boot access.
- Black bottom to help keep clean appearance.

NEW
3934 Lime
3935 Orange

Premium Black Series®

Waterproof Gaitors

PERFORMANCE FEATURES
- Waterproof material with durable seam sealed construction to keep you dry and comfortable.
- 2" wide reflective material with contrasting mesh.
- Zipper closure with storm flap and hook and loop adjustable bottom for easy boot access.
- Black bottom to help keep clean appearance.

Reflexite®

ML KISHIGO

9114 Lime
9115 Orange

Premium
Black Series®

T-Shirt

PERFORMANCE FEATURES
- Microfiber polyester material wicks away moisture.
- 2" wide reflective breathable tape significantly reduces "hot spots" and provides greater flexibility over solid tapes.
- Black sides provide contrast and add a sporty look.

POCKETS
- Left chest pocket.

SIZES: M-5X

ANSI/ISEA 107 Class 2 Compliant

T-SHIRTS

Class 3 & Non-Ansi

9134 Lime
9135 Orange

Premium Black Series®

Long Sleeve T-Shirt

PERFORMANCE FEATURES
- Microfiber polyester material wicks away moisture.
- 2" wide reflective breathable tape significantly reduces "hot spots" and provides greater flexibility over solid tapes.
- Black sides provide contrast and add a sporty look.

POCKETS
- Left chest pocket.

SIZES: M-5X

ANSI/ISEA 107 Class 3 Compliant

9122 Lime
9123 Orange

9124 Lime
9125 Orange

Long/Short Sleeve T-Shirt – *Economy*

PERFORMANCE FEATURES
- Microfiber polyester material wicks away moisture.
- Perfect for protecting your arms from the sun while staying cool.

POCKETS
- Left chest pocket.

SIZES: M-5X

Not ANSI/ISEA Compliant

CNSS® REFLECTIVE MATERIAL

9128 Lime
9127 Orange

100% Cotton T-Shirt

PERFORMANCE FEATURES
- Lightweight and comfortable all 100% cotton construction.

POCKETS
- Left chest pocket on 9127 (Orange).
- No pocket on 9128 (Lime).

SIZES: S-3X (9127), M-5X (9128)

Not ANSI/ISEA Compliant

9120 Lime
9121 Orange

Flat Stitch Panels Class 2 T-Shirt

PERFORMANCE FEATURES
- Microfiber polyester material wicks away moisture.
- 2" wide CNSS reflective material on contrast panels.
- Flat stitched contrast panels improve daytime visibility and significantly improves comfort and coolness over layered contrasting panels.

POCKETS
- Left chest pocket.

SIZES: M-5X

ANSI/ISEA 107 Class 2 Compliant

9110 Lime
9111 Orange

Short Sleeve Class 2 T-Shirt – *Economy*

PERFORMANCE FEATURES
- Microfiber polyester material wicks away moisture.
- 2" wide reflective material.

POCKETS
- Left chest pocket.

SIZES: M-5X

ANSI/ISEA 107 Class 2 Compliant

9118 Lime
9119 Orange

Short Sleeve Class 3 T-Shirt

PERFORMANCE FEATURES
- Microfiber polyester material wicks away moisture.
- 2" wide reflective material.

POCKETS
- Left chest pocket.

SIZES: M-5X

ANSI/ISEA 107 Class 3 Compliant

9145 Lime
9146 Orange

Long Sleeve Class 3 T-Shirt – *Economy*

PERFORMANCE FEATURES
- Microfiber polyester material wicks away moisture.
- 2" wide reflective material.

POCKETS
- Left chest pocket.

SIZES: M-5X

ANSI/ISEA 107 Class 3 Compliant

ACCESSORIES

Better accessories for better visibility.



2810 Lime
2813 Orange

Hard Hat Sun Shield

PERFORMANCE FEATURES

- Keeps your neck well shaded.
- Elastic band to fit over most hard hats.
- Ultra-Cool™ 100% polyester mesh with contrasting trim.
- 5/8" wide reflective stripe with contrasting material.

ML KISHIGO

2808 Lime
2809 Orange

Hard Hat Nape Protector

PERFORMANCE FEATURES

- Protects your neck from the sun while wearing your hard hat.
- 100% polyester.
- Self-adhesive hook & loop tabs allow you to attach to the inside or outside of any hard hat.
- 2" wide reflective material.



2-Tone Hard Hat Cover

PERFORMANCE FEATURES

- 100% polyester mesh.
- Elastic band to fit over many different hard hats.
- Built in hooks secure the cover to your hard hat.
- 1" wide reflective material.

ANSI/ISEA 107 Headwear Compliant

2871 Lime/Orange

Knit Beanie

PERFORMANCE FEATURES

- Soft 100% polyester knit material.
- Two stripes of reflective thread are woven into the beanie, allowing for greater flexibility over sewn on reflective tape.

2826 Lime
2827 Orange



Full Brim Safari Hat

PERFORMANCE FEATURES

- 100% polyester material.
- Mesh around the crown of the head keeps you cool and ventilated.
- 1" wide reflective stripe with 2" contrasting color material 360 degrees around the hat.
- Dark grey under brim reduces glare.
- Reflective piping around brim and top of hat.
- Drawstring keeps the hat securely on your head.

SIZES: S-M, L-XL

ANSI/ISEA 107 Headwear Compliant

2822 Lime (S-M)
2824 Lime (L-XL)

2823 Orange (S-M)
2825 Orange (L-XL)

Baseball Cap

PERFORMANCE FEATURES

- Stylish high visibility baseball cap.
- 100% polyester material.
- 1/2" wide reflective stripes.
- 2 mesh panels on cap for breathability and comfort.
- Dark grey under brim reduces glare.

ANSI/ISEA 107 Headwear Compliant

2854 Lime
2855 Orange

Baseball Cap Sun Shield

PERFORMANCE FEATURES

- Snaps into place on left and right side of our baseball cap.
- Reflective stripe maintains 360 degree visibility around the cap.
- Secure hook & loop tab connects to back strap.
- Baseball cap (2854/2855) sold separately.

2811 Lime
2812 Orange

2816 Lime

OPTIONS TO WEARING SHIELD

Multi-wear Climate Shield

PERFORMANCE FEATURES

- Multiple configurations to fit any style or weather condition.
- Lightweight 100% polyester jersey knit material.
- Two 1" strips of reflective material ensure nighttime or low light visibility in any configuration.

SIZES: One size fits most.

See all the ways to wear at mlkishigo.com/climate-shield.html.

Full Brim Sun Shield

PERFORMANCE FEATURES

- 100% polyester shade with breathable mesh nape protector.
- Designed to fit over full brim hard hats.
- Easy to fold and put away.
- Brilliant Trim reflective material edging improves low light visibility.
- 1/2" reflective stripe with contrasting color.

NEW

2873 Lime
2874 Orange

159 Rock Hill Rd, Fayetteville,
North Carolina 28312
(800) 542-7011 / UTECK.COM

Single Stripe Seat Belt Covers

PERFORMANCE FEATURES

- High visibility seat belt covers make it easy to ensure your workers are practicing proper safety and are buckled up.
- 1" full length reflective strip.
- Hook and loop closure.

NEW

3902 Lime
3903 Orange

Dual Stripe Seat Belt Covers

PERFORMANCE FEATURES

- High visibility seat belt covers make it easy to ensure your workers are practicing proper safety and are buckled up.
- 2" wide reflective stripes.
- Hook and loop closure.

3901 Lime
3900 Orange

Arm/Ankle Bands

PERFORMANCE FEATURES

- 2" wide elastic arm/ankle band for added visibility.
- Hook & loop adjustability.
- 5/8" wide reflective stripe.

3881 Lime
3882 Orange

Reflective Waist Bands

PERFORMANCE FEATURES

- 2" wide prismatic reflective material belt.
- 2" wide glass bead reflective material on 3895.
- Adjustable up to 54".
- Plastic clasp closure.

3896 Lime
3897 Orange
3895 Silver



Stop Signs

NON-REFLECTIVE
A. 5950 STOP/SLOW & 5951 STOP/STOP (Not shown).
- 18" Screened hard board.
- 9" Handle.

B. 5965 STOP/STOP (Ultra lightweight)
- 18" Screened coroplast.
- 9" Handle.
- Ideal for crossing guards.

REFLECTIVE: ENGINEER GRADE
C. 5960 STOP/SLOW
- 18" Screened.
- 12" Handle.

REFLECTIVE: HIGH INTENSITY GRADE
D. 5961 STOP/SLOW
- 18" Screened.
- 12" Handle.

E. 5963 STOP/SLOW
- 18" Screened.
- 60" One piece handle.
- 2 bolt (Assembly required).

Warning Flags

STANDARD WARNING FLAGS
A. 1600 VINYL
- 18" x 18" red/orange reinforce vinyl material.
- 3/4" x 24" hardwood dowel.

B. 1703 MESH
- 18" x 18" red/orange vinyl coated mesh.
- 3/4" x 24" hardwood dowel.

VINYL FLAG W/ DIAGONAL STAY
C. 1600S VINYL
- 18" x 18" red/orange vinyl coated material.
- 3/4" x 24" hardwood dowel.
- Diagonal stay keeps flag open.

HEAVY DUTY VINYL COATED MESH WITH ORANGE PRISMATIC TAPE
D. 5988 W/PVC TRIM
- 18" x 18" red/orange 10 oz. vinyl coated mesh.
- 3/4" x 24" hardwood dowel.
- 2" wide orange prismatic reflective material.

Overhang Signs

STANDARD WARNING FLAGS
A. D-5971 MESH
- 18" x 18" fluorescent red/orange 10 oz heavy duty vinyl coated mesh.
- 12 gauge wire hanger.

B. CI-5971
- 18" x 18" red lightweight cotton fabric.
- 12 gauge wire hanger.

OUTERWEAR

Limited Edition

The JS135 is the first of its kind.

Removable high quality zip up hoodie sweatshirt with design inspired reflective bands on the left arm.

Left arm cell phone pocket with waterproof zipper.

Two large integrated outside lower gusseted patch pockets.

Two side access hand warmer pockets with micro fleece lining.

Tape design allows for large logo area on back.

NEW

JS135 Lime

Premium **Black Series®**

2 in 1 Jacket

Reflective piping accents on back, sides, and pockets help provide early detection for nighttime visibility.

Extra visibility in trim.

PERFORMANCE FEATURES

- Durable ripstop material with waterproof seam sealed construction.
- 2" wide reflective material laminated directly to the fabric for longer life.
- Zipper front closure with storm flap.
- Removable zip up hoodie sweatshirt.
- Black areas provide contrast, style, and durability.
- Detachable rain hood can be stored in pocket.
- Cuffs with durable rubber pull tabs make for easy adjustments while wearing gloves.
- Ventilated cape back for additional comfort.
- Reflective piping accents on back, sides, and pockets.

POCKETS

- Two outside lower gusseted pockets with hook & loop flaps.
- Two outside lower side access pockets with fleece lining.
- Left chest pocket with retractable ID holder.
- Left arm cell phone pocket with waterproof zipper.
- Inside lower left hidden tablet (iPad) pocket with zipper. Tablet pocket can be accessed without unzipping the jacket.
- Traditional hoodie design with two side slash pockets.

SIZES: M-5X

ANSI/ISEA 107 Class 3 Compliant

ML KISHIGO

Left chest pocket with retractable clear ID holder & cell phone storage.

Hidden tablet pocket.

Durable ripstop material with seam sealed construction.

JS135

U-TECK™
Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville,
North Carolina 28312
(800) 542-7011 / UTECK.COM

JS119 Lime
JS120 Orange

Premium
Brilliant Series®

Bomber Jacket

PERFORMANCE FEATURES
- Durable waterproof seam sealed shell.
- Removable black quilted liner.
- Hidden collar hood.
- 2" wide 3M™ Scotchlite™ Reflective Material with 3" contrast.
- Reflective piping on collar, shoulders, hood and sleeve seams.
- Adjustable cuffs.
- Black bottom front & sleeves to keep a clean appearance.

POCKETS
- Left chest radio pocket.
- Two outside lower slash pockets with zippers.
- Inside wallet pocket.

SIZES: M-5X

ANSI/ISEA 107 Class 3 Compliant

JS118 Lime

Bomber Jacket – *Economy*

PERFORMANCE FEATURES
- Durable waterproof seam sealed shell with thermal insulation.
- 2" wide CNSS reflective material.
- Removable hidden collar hood.

POCKETS
- Two outside slash pockets.
- Left chest radio pocket.
- Right chest outside access multi-use pocket with vertical zipper closure.

SIZES: M-5X

ANSI/ISEA 107 Class 3 Compliant

3M Scotchlite Reflective Material

9671 Orange

Fleece Lined Bomber Jacket

PERFORMANCE FEATURES
- Durable waterproof seam sealed shell with fleece liner & fleece lined hood.
- Hood fits into the collar, or can be removed altogether.
- 2" wide CNSS reflective material.
- Adjustable cuffs.

POCKETS
- Right chest vertical zipper wallet pocket.
- Left chest radio pocket.
- Zipper slash side pockets with flaps.

SIZES: M-5X

ANSI/ISEA 107 Class 3 Compliant



NEW
JS130 Lime

Ripstop Bomber Jacket

PERFORMANCE FEATURES

- Durable waterproof seam sealed ripstop shell with fleece body & hood.
- Hood fits into the collar or can be removed all together.
- Quilted sleeves for easy arm in and out access.
- 2" wide reflective material.
- Adjustable cuffs with rubber pulls for easy use when wearing gloves.
- Left and right mic tabs.

POCKETS

- Right slash vertical pocket for wallet or other accessories.
- Large left radio pocket.
- Left and right outside slash pockets.
- Left bicep 2-division pencil/pen pocket with drainage grommets.
- Large vertical tablet (iPad) pocket with zipper inside storm flap. Tablet can also be accessed without unzipping the jacket.

SIZES: M-5X

M-5X ANSI/ISEA 107 Class 3 Compliant

360 Pro Series Parka

PERFORMANCE FEATURES

- Reflexite® reflective tape performs exceptionally well under wet conditions and provides additional durability compared to silver glass beaded reflective materials.
- Waterproof seam sealed construction.
- Thermal insulation.
- Hidden collar hood.
- Adjustable cuffs.
- Storm cuff (Powder Barrier) waist and sleeve liners keep wind and snow out of critical areas.
- 6" side zipper for added comfort when sitting and provides improved airflow.
- Black lower body and sleeves help the wearer keep a clean appearance.

POCKETS

- Two outside lower slash pockets with zippers and storm flaps.
- Outside left chest radio pocket.
- Hidden wallet pocket inside front closure storm flap.
- Inside general use pocket.

SIZES: M-5X

ANSI/ISEA 107 Class 3 Compliant

Reflexite®

ML KISHIGO

WB100 Lime
WB101 Orange

Premium Black Series®

Windbreaker

PERFORMANCE FEATURES
- Lightweight 100% polyester and flexible design.
- Durable black ripstop material in high wear areas, along the sides and under the arms.
- Waist cinches hidden in front pockets.
- Adjustable cuffs.
- Shoulder blade vents.
- 2" wide CNSS reflective material.

POCKETS
- Two outside lower pockets with zippers.
- Left chest vertical pocket with waterproof zipper.

SIZES: M-5X

ANSI/ISEA 107 Class 3 Compliant

JS102 Lime
JS103 Orange

Hoodie Sweatshirt with Zipper

PERFORMANCE FEATURES
- Black lower body and sleeves help the wearer keep a clean appearance.
- High quality 9 oz. sweatshirt material.
- Black rib knit cuffing.
- 2" wide CNSS reflective material.

POCKETS
- Lower outside slash pockets.

SIZES: M-5X

ANSI/ISEA 107 Class 3 Compliant

ML KISHIGO

RWJ106 Lime
RWJ107 Orange

Waterproof breathable material and ventilated back and armpits for comfort.

Reflective trim for added visibility in low light and severe weather.

Waterproof zippers and ample easy access pockets throughout.

Prismatic reflective material ideal for wet conditions.

Adjustable cuffs allow for bulky work gloves.

Black bottom and accents for style and clean appearance in dirty conditions.

Premium Black Series®

Rainwear

PERFORMANCE FEATURES
- Waterproof breathable material with durable seam sealed construction.
- Black bottom and accents for a mix of functionality and style.
- Reflective trim improves reflectivity all the way around the garment.
- 2" wide Reflexite® reflective material performs exceptionally well under wet conditions.
- Waterproof front zipper.
- Adjustable wrist cuffs.
- Ventilated back and armpits.
- Reinforced D-ring access on back.

POCKETS
- Vertical left chest pocket with waterproof zipper.
- Lower front slash pockets with waterproof zipper.
- Left arm cell phone pocket with storm flap and zipper closure.

SIZES: S-M, L-XL, 2X-3X, 4X-5X

ANSI/ISEA 107 Class 3 Compliant

Rainwear Pants

PERFORMANCE FEATURES
- Reflective trim down the outside of the legs for enhanced low light visibility.
- Adjustable leg cuff straps.
- Zipper cuff for boot access.

POCKETS
- Large left and right side gusseted cargo pockets with reflective trim.

SIZES: S-M, L-XL, 2X-3X, 4X-5X

ANSI/ISEA 107 Class E Compliant

Rainwear Bib

PERFORMANCE FEATURES
Same as pants, plus:
- High quality elastic suspenders with quick release buckle.
- Large chest patch pocket with zipper/storm flap.
- Right side cargo pocket, grommets at the bottom of cargo pocket for water drainage.

SIZES: S-M, L-XL, 2X-3X, 4X-5X

ANSI/ISEA 107 Class E Compliant

RWP106 Lime
RWP107 Orange



RWB106 Lime
RWB107 Orange

Reflexite®

RAINWEAR

The material you need with the features you want.

RWJ104 Lime
RWJ105 Orange

RWP104 Lime
RWP105 Orange

Premium Brilliant Series®

Rainwear

PERFORMANCE FEATURES
- Reflexite® prismatic reflective tape performs exceptionally well under wet conditions, and provides additional durability over glass beaded reflective materials.
- Charcoal material and reflective piping along the shoulders and hood help to identify the human form for greater visibility.
- Waterproof breathable material with durable seam sealed construction.
- Hidden collar hood.
- Zipper/storm flap closure for weather protection.
- Adjustable cuffs.
- Breathable mesh liner.

POCKETS
- Vertical left chest pocket with waterproof zipper.
- Lower outside patch pockets with snap closure.

PANTS
- Right leg cargo pocket.
- Adjustable leg cuff straps.

SIZES: S-M, L-XL, 2X-3X, 4X-5X

ANSI/ISEA 107 Class 3 Compliant - Jacket
ANSI/ISEA 107 Class E Compliant - Pants

Reflexite®

U-TECK™
Your Safety... Our Solutions.
159 Rock Hill Rd, Fayetteville, North Carolina 28312
(800) 542-7011 / UTECK.COM

ML KISHIGO

RWJ100 Lime
RWJ101 Orange

RWP100 Lime
RWP101 Orange

Storm Stopper Pro Rainwear

PERFORMANCE FEATURES
- Reflexite® prismatic reflective tape performs exceptionally well under wet conditions, and provides additional durability over silver glass beaded reflective materials.
- Waterproof material with seam sealed construction keeps the wearer warm and dry.
- Black lower body and sleeves help keep the wearer's appearance neat and clean.
- Vented cape back for additional breathability.
- Hidden collar hood.
- Adjustable wrist and ankle cuffs.
- Mesh liner.
- D-ring access on back.

POCKETS
- Two outside pockets with storm flaps and snaps.
- Left chest radio pocket.

PANTS
- Adjustable leg cuff straps.

SIZES: S-M, L-XL, 2X-3X, 4X-5X

ANSI/ISEA 107 Class 3 Compliant - Jacket
ANSI/ISEA 107 Class E Compliant - Pants

Premium **Brilliant Series®**

Long Rain Coat

PERFORMANCE FEATURES
- Waterproof material with durable seam sealed construction.
- 2" wide CNSS reflective material.
- Reflective piping on shoulders, hood and sleeve seams.
- Zipper/storm flap closure for weather protection.
- Non-sparking snaps and zipper.
- Adjustable wrist cuffs.
- Black lower body and sleeves help keep the wearer's appearance neat and clean.

POCKETS
- Lower front patch pockets with flaps.

SIZES: S-M, L-XL, 2X-3X, 4X-5X

ANSI/ISEA 107 Class 3 Compliant

RWJ108 Lime
RWJ109 Orange

Reflexite®

RAINWEAR

RWJ102 Lime
RWJ103 Orange

RWP102 Lime
RWP103 Orange

Storm Cover Rainwear

PERFORMANCE FEATURES
- Waterproof material with durable seam sealed construction.
- 2" wide CNSS reflective material.
- Zipper/storm flap closure for weather protection.
- Non-sparking snaps and zipper front closure.
- Adjustable wrist cuffs.
- Mesh liner.

POCKETS
- Lower front patch pockets with snap closure.
- Left chest radio pocket.

PANTS
- Adjustable leg cuff straps.

SIZES: S-M, L-XL, 2X-3X, 4X-5X

ANSI/ISEA 107 Class 3 Compliant - Jacket
ANSI/ISEA 107 Class E Compliant - Pant

9665J Lime

9665P Lime

Storm Stopper Rainwear

PERFORMANCE FEATURES
- Waterproof material with durable seam sealed construction.
- 2" wide CNSS reflective material.
- Zipper/storm flap closure.
- Non-sparking snaps and zipper.
- Fully vented cape back for breathability.
- Adjustable wrist cuffs.
- Mesh liner.

POCKETS
- Patch pockets with snap closure.

BIB
- High quality elastic suspenders with quick release buckle.
- Adjustable leg cuff straps.
- Front fly with snap closure.

SIZES: S-M, L-XL, 2X-3X, 4X-5X

ANSI/ISEA 107 Class 3 Compliant - Jacket
ANSI/ISEA 107 Class E Compliant - Bib

RW110 Lime
RW111 Orange

Rainwear Set – *Economy*

Full rainsuit only. No separates.

PERFORMANCE FEATURES
- Waterproof material with durable seam sealed construction.
- 2" wide CNSS reflective material.
- Zipper/storm flap closure.
- Non-sparking snaps and zipper.
- Adjustable wrist cuffs.

POCKETS
- Lower front patch pockets with flaps.

PANTS
- Adjustable leg cuff straps.

SIZES: S-M, L-XL, 2X-3X, 4X-5X

ANSI/ISEA 107 Class 3 Compliant - Jacket
ANSI/ISEA 107 Class E Compliant - Pants

CNSS® REFLECTIVE MATERIAL

U-TECK

U-TECK™
Your Safety... Our Solutions.

159 Rock Hill Rd, Fayetteville,
North Carolina 28312
(800) 542-7011 / UTECK.COM

INDEX

3-Pocket Pouch for Fiber Workstation, A-1
45A Bracket, D-3
51B Hanger Brackets, D-3
5G / CRAN Ladder Brackets, J-5
5-Pocket Tool Pouch, L-1
6-Pocket Tool Pouch, L-1
Aerial Strands for Fiber Workstation, A-1
Aerial Strand Hanger Bracket, D-3
Attic-Trax Walk Board, P-1
B Insulator Support Clamp, D-3
Backboards, Exterior, D-2
Backboards, Interior, D-1
Bend Tool, B-4
Big Buddy Heater, M-1
Blowers, Portable, G
- Ventilator, 1500, G-1
- Ventilator, 1500-23, G-1
- Ventilator, 3000, G-1
- Ventilator, Pneumatic, 3000P, G-2
- Ventilator, High-capacity, 8000, G-2
- Ventilator, Master 8" Confined Space, G-3

Brackets, D-3
- 131B Pole Mounting Bracket, D-3
- 45A Bracket, D-3
- 51B Hanger Brackets, D-3
- Aerial Strand Mounting Bracket, D-3
- E Wall Bracket, D-3
- Fiber Snowshoe Mounting Hardware, D-3
- Ladder Brackets, J-4 & J-5
- S Wall Bracket, D-3
- Wall Mounting Brackets, D-3

Bucket Heater, M-2
Bulk Reel, Mesh, B-2
Buried Closure Protective Housing, O-1
C Beam Clamp, D-3
C Insulator Support Clamp, D-3
Cable Caddy, Fiber Drop, L-5
Cable Caddy, Reel Deal, L-3
Cable Caddy, Single Line Pull, L-4
Cable & Wire Storage Box, L-2
Cable Management Bracket, A-1
Cable Protector, Temporary, Plastic, H-1
Cable Protector, Temporary, Rubber, H-1
Cable Pulling Bulk Reel, B-2
Cable Pulling Mesh Grips, B-3
Caddy, Fiber Drop, L-5
Canopy Tent, E-3
Chain Hoists, P-4
Chocks, Wheel, P-2
C Insulator Support Clamp, D-3
Clamps, D-3
Clip & Insertion Tool, Micro Trench, I-3
Coupler, Duct, 8", G-3
CRAN Ladder Brackets, J-5
Dielectric Umbrellas, N-1
Dielectric Umbrella Bag, N-1
Ducts, G-3
Duct Storage Racks, metal, G-3
Duct Storage Racks, G-3
E Wall Bracket, D-3
Ergo Seat, A-4
Ergo Seat with Pocket, A-4
Fiber Drop Caddy, L-5
Fiber Drop Markers, Temporary, C-1
Fiber Optic Protector Sleeves, A-5
Fiber Optic Splicing Workstation, A-1
Fiber Placement Frame, B-7
Fiber Snowshoe Mounting Hardware, C-5
Fiber Splice Case Stand, A-1
Fire Retardant Backboards, Interior, D-1
Fire Retardant Backboards, Exterior, D-2
Gas Detectors, F
- P100, F-1
- P400, F-2
- Pack Rat Locators Vest, K-1
- Sensit Gold G2 (LEL), F-3
- Sensit HXG-2d, F-4

GLOW Walkboards, Attic Trax, P-1
Hanger Bracket, D-3
Handi Hoist Lift System, P-5
Hardware Mounting for Fiber Snowshoe, D-3
Hardwood Wheel Chocks, P-2
Heaters, M
Heater, Big Buddy, M-1
Heater, Bucket, M-2
Hoist, Chain, P-4
Hoist, Handi, P-5
Hook Stakes, 100/box, Q-1
Hi-Visibility Shirts, etc., R-1 to 42
Insulator Support Clamps, D-3
Joining Strip, 4" x 25', green, Q-1
Ladder Brackets, Pole Mounted, J-4
Ladder Caddy, J-2 & J-3
Ladder Wedges, J-1
Locator Vest, K-1
LED Dual power light w/ magnifying Glass, A-1
Magic Wrap,A-6
Mat for Splicer Seat, A-3
Mesh Grips, B-3
Micro-Trench Clips, 1000/box, I-3
Micro-Trench Clip Insertion Tool, I-3
Micro-Trench Protector, I-1
Micro-Trench Tamper Tool, I-3
Pack Rat Locator Vests, K-1
Ped Mat, Q-1
- Installation Accessories, Q-1
- Joining Strip, 4" x 25', green, #74403-G, Q-1
- Hook Stakes, 100/box, #74000, Q-1
- Staples, 2000/box, #74100, Q-1
- Adhesive/Caulk, tube, #8ADHESIVE-W, Q-1

Ped Pal 'Pop N Work' Tent, E-1
Pole Mounted Ladder Brackets, J-4
Plastic Cable Protector, H
Pop N' Work Ped Pal Tent, E-1
Portable Workbench, A-1
Pulling Mesh Grips, B-3
Pulling Mesh Bulk Reel, B-2
Pole Mounted Ladder Brackets, J-1
Quadrant Block, B-1
Radius Bend Tool, B-4
RayDius Fiber Quadrant Block, B-1
RayDius Carrying Case, B-1
Reel-Deal Cable Caddy, L-3
Reel-Deal Cable Caddy, Single Pull Line, L-4

INDEX

Retro Fit Kit, A-3
Rubber Cable Protector, H
Rung Runner Ladder Caddy, J-2
S Wall Bracket, D-3
Safe-T Lid Temporary Covers, P-3
Safety Workwear, ML Kishigo, , R-1 to 42
SealGuard II Kit , O-2
Sensit Gold G2 (LEL) Gas Detector, F-3
Sensit HXG-2d Combustible Gas Detector, F-4
Sensit P100, F-1
Sensit P400, F-2
Single Line Pull Caddy, L-4
Splice Adapters, A-3
Splice Tray Holder, A-1
Splicing Workstation, A-1
- Accessories, A-1
- Aerial Strands, A-1
- Black Poly-mesh 3-Pocket Pouch, A-1
- LED Dual Power Light for Workstation, A-3

Splicer Seats, A-2
Splicer Seat Tether, A-1
Splicer Seat Accessories, A-3
- MS2 (3M) Splice Adapter, A-3
- 710 Splice Adapter, A-3
- Tool Base Adapter, A-3
- Tool Saddle with Pockets, A-3
- Splicing Mat, A-3
- Splicing Arm Base, A-3
- Universal Splicing Head Adapter, A-3
- Retro Fit Kit, A-3
- Tool Pouch, A-3
- Splicer Table, A-1

Staples, 2000/box for Ped-Mat, Q-1
Step Runner Ladder Caddy, J-3
Storage Box, Cable & Wire Storage Box, L-2
Storage Rack, Duct, G-3
Street Saver Micro-Trench Protector, I-1
Suction Mount for Work & Dielectric Umbrella, N-3
Tablet Holder, A-1
Tamper Tool, Micro Trench, I-2
Temporary Cable Protector, H
Temporary Fiber Drop Marker, C-1
Tent, Canopy, E-3
Tent, Pop N Work / Ped Pal, E-1
Tent, Vent, E-2
Tool Base Adapter for Splicer Seat, A-3
Tool Pouch for Splicer Seat, A-3
Tool Pouches, L-1
5-Pocket Tool Pouch, L-1
6-Pocket Tool Pouch, L-1
Tool Saddle with Pockets for Splicer Seat, A-3
Tripod Stand, for Umbrella, N-2
Umbrellas, N
- Work Umbrella, N-2
- Dielectric, N-1

Umbrella Accessories
- Dielectric Umbrella Bag, N-1
- Suction Mount, N-2
- Umbrella Adjustable Tripod Stand, N-2
- Work Umbrella Bag, N-2

Underground Solutions, O-1
Universal Ladder Wedge, J-1
Universal Splicing Head Adapter for Splicer Seat, A-3
Utility Pole Mat Kit, Q-1
Vests, Hats, rainwear shirts, etc., R-1 to 42
Vent Tent, E-2
Ventilators, Section G
- 1500-230, G-1
- 8" Duct Coupler
- Duct Carrier, G-3
- Duct w/ Storage Rack, G-3
- Duct w/ Quick Connect, G-3
- High Capacity Ventilator, G-2
- Industrial High Capacity Ventilator, G-1
- Light Industrial & Utility Ventilator, G-1
- Master 8" Confined Space Ventilator, G-3
- Pneumatic Ventilator, G-2
- UAF-1500, G-1
- UAF-3000, G-2
- UAF-8000, G-2
- UT-VAF-3000, G-1

Ventilator Duct with Quick Connect, G-3
Ventilator Duct Coupler, G-3
Versa Lid, P-3
Walkboard, Attic Trax, P-1
Wall Mounting Brackets, D-3
WeedEnder Ped Mat, Q-1
WeedEnder Utility Pole Mat Kit, Q-1
Wheel Chocks, P-2
Workcenter Ergo Seat, A-4
Workstation Wheel Kit, A-1
Work Umbrella Bag, N-2
Work Umbrellas, N-2
Workwear, ML Kishigo Safety Vests, Hats, rainwear shirts, etc., R-1 t

U-TECK

159 Rock Hill Rd

Fayetteville, NC 28312

1-800-542-7011

1-910-483-5016

Info@UTECK.com

www.UTECK.com

WWW.UTECK.COM / 1-800-542-7011

CELEBRATING 35 YEARS OF EXCELLENCE
U-TECK
35
YEARS
SINCE 1984